



LPG CYLINDER DECALS PLAIN & IMPRINTED

RMI Part No.	Description
SN-LPG	2" x 3 3/4" DOT Cylinder Decal
SN-LPG-SPEC*	SN-LPG Decal w/ customer's name imprinted

* Minimum order - 3500 pieces




CURVED CYLINDER DECAL

RMI Part No.	Description
SN-LPG-C	Curved Cylinder Decal



CURVED WARNING LABEL


RMI Part No.	Description
SN-WARN-C	1 1/2" x 5" Curved Warning Label



- 3-in-1 label
- DOT 1075
- NFPA Hazard rating
- Warning ANSI/NFPA Pamphlet 48
- 4 3/4" x 6 3/4" Vinyl
- Red, Blue, Yellow, Black

3-IN-1 HAZARD LABEL

RMI Part No.	Description
SN-HAZARD-1	4 3/4" x 6 3/4" Three-in-One Hazard Decal



For use on Fork Lift Cylinders

"RIGHT TO KNOW" DECAL

RMI Part No.	Description
SN-OSHA	2 1/2" x 5" Decal - "Right To Know"



DIAMOND NFPA HAZARD DECAL

RMI Part No.	Description
SN-OSHA-MED	7 1/2" x 7 1/2" Diamond NFPA Hazard Decal
SN-OSHA-LARGE	15" x 15" Diamond NFPA Hazard Decal



SN-MFV



SN-LPG-NYS

RMI Part No.	Description
SN-MFV	National Decal for Propane Vehicles
SN-LPG-NYS	Propane Vehicle Decal - New York State

VISUAL REQUALIFIER IDENTIFICATION KIT

Special Order
Specify your RIN Number to be printed on decal.

Date Decal must be ordered separately by monthly quarters, 8 of each month.

This tank has been visually reinspected in accordance with 49 CFR 180.209(g)

V100000 Visual Requalifier Identification Number

12 /06E Date/Type of Visual Inspection
DSP 1-800-888-8545 5-C86

RMI Part No.	Description
SN-RIN-Q1	01, 02, 03 Month Decals
SN-RIN-Q2	04, 05, 06 Month Decals
SN-RIN-Q3	07, 08, 09 Month Decals
SN-RIN-Q4	10, 11, 12 Month Decals
SN-RIN-SPEC	Visual Inspection Decal Kit
SN-RIN-SPEC-M	Silver Mylar RIN Decal

WARNING - FLAMMABLE GAS UNDER PRESSURE - LEAKING LP-GAS CAN CAUSE A FIRE OR EXPLOSION IF IGNITED - CONTACT LP-GAS SUPPLIER FOR REPAIRS OR DISPOSAL OF THIS CYLINDER OR UNUSED LP-GAS - FOR OUTDOOR USE ONLY - DO NOT USE OR STORE CYLINDER IN A BUILDING, GARAGE OR ENCLOSED AREA.

Customer Warning:

1. Do not use if the valve is closed, unless you are authorized to do so.
2. Do not use if the valve is open, unless you are authorized to do so.
3. Do not use if the valve is open, unless you are authorized to do so.
4. Do not use if the valve is open, unless you are authorized to do so.
5. Do not use if the valve is open, unless you are authorized to do so.
6. Do not use if the valve is open, unless you are authorized to do so.
7. Do not use if the valve is open, unless you are authorized to do so.
8. Do not use if the valve is open, unless you are authorized to do so.
9. Do not use if the valve is open, unless you are authorized to do so.
10. Do not use if the valve is open, unless you are authorized to do so.
11. Do not use if the valve is open, unless you are authorized to do so.
12. Do not use if the valve is open, unless you are authorized to do so.
13. Do not use if the valve is open, unless you are authorized to do so.
14. Do not use if the valve is open, unless you are authorized to do so.
15. Do not use if the valve is open, unless you are authorized to do so.
16. Do not use if the valve is open, unless you are authorized to do so.
17. Do not use if the valve is open, unless you are authorized to do so.
18. Do not use if the valve is open, unless you are authorized to do so.
19. Do not use if the valve is open, unless you are authorized to do so.
20. Do not use if the valve is open, unless you are authorized to do so.

When Encountering Gas:

1. Do not use if the valve is open, unless you are authorized to do so.
2. Do not use if the valve is open, unless you are authorized to do so.
3. Do not use if the valve is open, unless you are authorized to do so.
4. Do not use if the valve is open, unless you are authorized to do so.
5. Do not use if the valve is open, unless you are authorized to do so.
6. Do not use if the valve is open, unless you are authorized to do so.
7. Do not use if the valve is open, unless you are authorized to do so.
8. Do not use if the valve is open, unless you are authorized to do so.
9. Do not use if the valve is open, unless you are authorized to do so.
10. Do not use if the valve is open, unless you are authorized to do so.
11. Do not use if the valve is open, unless you are authorized to do so.
12. Do not use if the valve is open, unless you are authorized to do so.
13. Do not use if the valve is open, unless you are authorized to do so.
14. Do not use if the valve is open, unless you are authorized to do so.
15. Do not use if the valve is open, unless you are authorized to do so.
16. Do not use if the valve is open, unless you are authorized to do so.
17. Do not use if the valve is open, unless you are authorized to do so.
18. Do not use if the valve is open, unless you are authorized to do so.
19. Do not use if the valve is open, unless you are authorized to do so.
20. Do not use if the valve is open, unless you are authorized to do so.

**USE ON
4-40 LB. CYLINDERS,
INCLUDING 20 LB.**

WARNING LABEL DECAL

RMI Part No.	Description
SN-WARN-1	4" x 9" Warning Label

**LPG
MINIMUM
90%
PROPANE**

**EMERGENCY
SHUTOFF**

DECALS

RMI Part No.	Description
SN-LPG-PS	Pump Station Decal - 90% Propane
SN-EMERGENCY	Emergency Shutoff Decal 3/4" Letters



FILLING PROCEDURES DECALS

RMI Part No.	Description
SN-FILL-2	10' x 16" Decal - Complete Filling Procedure

NO SMOKING
Follow This Procedure To Fill Tank

1. Shut engine ignition off.
2. Attach liquid line to tank 18" above of vent.
3. Open vent/liquid valve.
4. Open liquid valve.
5. Open 20% gauge on vehicle tank.
6. Shut engine.
7. Stop filling when liquid appears at 20% gauge.
8. Shut off liquid.
9. Close 20% gauge on vehicle tank.
10. Close liquid valve.
11. Disconnect liquid from tank, vent & vent.
12. Close vent/liquid valve.

NO SMOKING

FILLING PROCEDURES DECALS

RMI Part No.	Description
SN-FILL	15' x 22" Decal - Motor Fuel Tank Filling Procedure



SN-FILL-EX1



SN-FILL-5



SN-FILL-3

CYLINDER EXCHANGE, FILLSTATION SIGNS & INSTRUCTIONS

RMI Part No.	Description
SN-FILL-EX1	2' x 4' Aluminum Single Face - Cylinder Exchange
SN-FILL-EX2	2' x 4' Aluminum Double Face - Cylinder Exchange
SN-FILL-3	2' x 3' Metal/DFill Station Instructions
SN-FILL-4	2' x 4' Aluminum Double Face - Filling Station
SN-FILL-5	2' x 4' Aluminum Single Face - Filling Station
M-97-FR	Frame for 2' x 4' Aluminum Signs

EXCHANGE CHECK LIST

To ensure your safety and protect your investment, all National Exchange cylinders must meet certain safety standards and be properly maintained. Make sure you follow the following checklist:

1. Inspect for damage.
2. Inspect for leaks.
3. Inspect for rust.
4. Inspect for dents.
5. Inspect for discoloration.
6. Inspect for overfilling.
7. Inspect for overpressure.
8. Inspect for overheat.
9. Inspect for overexposure.
10. Inspect for overuse.
11. Inspect for overfilling.
12. Inspect for overpressure.
13. Inspect for overheat.
14. Inspect for overexposure.
15. Inspect for overuse.

FOR SERVICE, PLEASE CALL 800-628-5044

SN-EXCHANGE

OUR COMPANY IS CONCERNED FOR YOUR SAFETY

The enclosed listing the propane cylinder is done so by all those things a propane cylinder should have a label. It is important to know the safety of your cylinder. It is important to know the safety of your cylinder. It is important to know the safety of your cylinder.

1. Inspect for damage.
2. Inspect for leaks.
3. Inspect for rust.
4. Inspect for dents.
5. Inspect for discoloration.
6. Inspect for overfilling.
7. Inspect for overpressure.
8. Inspect for overheat.
9. Inspect for overexposure.
10. Inspect for overuse.
11. Inspect for overfilling.
12. Inspect for overpressure.
13. Inspect for overheat.
14. Inspect for overexposure.
15. Inspect for overuse.

FOR SERVICE, PLEASE CALL 800-628-5044

SN-SAFETY

EXCHANGE & SAFETY SIGNS & DECALS

RMI Part No.	Description
SN-EXCHANGE	12' x 16" Exchange Check List Decal
SN-SAFETY	18' x 24" Safety Check List Sign

**GAS VENT
DIRECTLY BELOW
KEEP CLEAR OF ALL
OBSTRUCTIONS**

RMI Part No.	Description
SN-VENT	Gas Vent Directly Below 4' x 7" Poly Sign

QT **NQT**

QT, NQT DECALS

RMI Part No.	Description
SN-QT	2 3/4" x 4 1/2" Decal-w/ 2" letters
SN-NQT	2 3/4" x 4 1/2" Decal-w/ 2" letters

LIQUID **VAPOR**

LIQUID, VAPOR DECALS

RMI Part No.	Description
SN-LIQUID	1" x 4" Liquid Decal
SN-VAPOR	1" x 4" Vapor Decal

GAS GAS GAS

GAS DECALS

RMI Part No.	Description
SN-GAS	1/2" x 3" Gas Decal w/ 2" letters-100 per roll

LIQUIFIED PETROLEUM GAS

LIQUEFIED PETROLEUM GAS DECALS

RMI Part No.	Description
SN-LPG-2	"Liquified Petroleum Gas" Decal w/ 2" letters



REFLECTIVE WARNING DECAL

RMI Part No.	Description
SN-REFLECT	4" x 36" Reflective Decal

PROPANE PROPANE PROPANE PROPANE

PROPANE DECAL

RMI Part No.	Description
SN-PROPANE-R	1" x 6" Black on yellow buttcut rolls of 100

WE STOP AT ALL RR CROSSINGS



REFLECTIVE RR CROSSING DECAL

RMI Part No.	Description
SN-RRL	4" x 36" Reflective Decal

WE STOP AT RAILROAD CROSSINGS

REFLECTIVE RR CROSSING DECAL

RMI Part No.	Description
SN-RRS	8" x 12" Reflective Decal



TEST & RETEST DECALS

RMI Part No.	Description
SN-TEST	Test Date Inspection Decal Kit
SN-RETEST	Retest Date Inspection Decal Kit

EMERGENCY RELEASE SPRAY FILL ON
 EMERGENCY RELEASE SPRAY FILL ON
 EMERGENCY RELEASE SPRAY FILL ON
 PULL LIQUID OFF
 PULL LIQUID OFF
 PULL LIQUID OFF
 PUSH VAPOR MAIN VALVE
 PUSH VAPOR MAIN VALVE
 PUSH VAPOR MAIN VALVE


SN-LABEL

EMERGENCY ONLY
 PULL OUT
 LIQUID REEL SWITCH
 MAIN VALVE
 BY PASS THROTTLE
 SPRAY FILL LIQUID
 STRAINER P.T.O
 VAPOR VAPOR
 VAPOR BACK UP


SN-LABEL-S

TRUCK LABELS

RMI Part No.	Description
SN-LABEL	1" x 3" Truck Label Kit
SN-LABEL-S	3/8" x 1 3/4" Label Kit



SN-SHIP



SN-SHIP-CT

SHIPPING SIGNS

RMI Part No.	Description
SN-SHIP	7" x 8 1/2" Bulk Truck Shipping Paper
SN-SHIP-CT	7" x 8 1/2" Cylinder Truck Shipping Paper



SN-NSD8



SN-SS110

NO SMOKING METAL SIGNS & DECALS

RMI Part No.	Description
SN-NS2	4" x 22" Aluminum Sign
SN-NSD2	5" x 22" Decal, 4" Letters
SN-NSD8	3" x 14½" Decal, 2" Letters
SN-NSD9	2½" x 10½" Decal, 1¼" Letters
SN-SS110	10" x 14"—Danger Metal Sign
SN-SS311	20" x 28"—Danger Metal Sign




SN-NSD7



SN-NSD5

RMI Part No.	Description
SN-NSD7	7" x 17" Decal
SN-NS6	7" x 17" Poly Sign

RMI Part No.	Description
SN-NSD5	7" x 17" Decal
SN-NS7	7" x 17" Poly Sign



SN-NSD3



SN-NSDFPG

NO SMOKING/FLAMMABLE GAS SIGNS & DECALS

RMI Part No.	Description
SN-NS3	24" x 36" Aluminum Sign-w/ 50 Feet
SN-NSD3	12" x 18" Decal-w/ 50 Feet
SN-NSD3-M	12" x 18" Metal Sign-w/ 50 Feet
SN-NSDFPG	9" x 27" Deca-w/ Flammable Propane Gas

TRANSPORT TRUCK UNLOADING PROCEDURE

1. Check the liquid level in storage tank(s) with the magnetic gauge or the rotary gauge and record these readings.
2. Be sure the entire load on the transport will fit into the container without exceeding the 85% maximum liquid fill level.
3. Verify liquid level in transport.
4. Connect the truck liquid and vapor hoses to the unloading bulkhead Acme connectors.
5. Open the liquid fill valve and vapor return valve under the tank(s).
6. Open the valves at the bulkhead and on the truck to equalize pressure between the truck and tank(s).
7. Open the emergency shutoff valve (ESV) in the vapor line at the bulkhead. Check remote cable and ESV for proper operation.
8. Start truck pump.
9. When transport truck has completed pumping all liquid into storage tank(s), turn off pump and verify truck is empty.
10. Close valves on truck and bulkhead. Depressurize hoses before disconnecting.
11. Check liquid levels in storage tank(s) again and record this reading.
12. Return tank valves to original position.

TRANSPORT TRUCK UNLOADING PROCEDURE SIGN/DECAL

RMI Part No.	Description
SN-Unload-P	22" x 15" Poly Sign
SN-Unload-D	8.5" x 11" Decal



SN-FLAMMABLE



SN-FLAME-2



SN-FLAME-R1

PROPANE DECALS & PLACARDS

RMI Part No.	Description
SN-PROPANE	2¾" x 10½" Decal - w/ 2" red letters
SNL-PROPANE	5" x 18" Decal - w/ 4" red letters
SN-FLAMMABLE	10½" Diamond Decal - "Flammable Gas"
SN-FLAME-R1	10½" Diamond "Flammable" Placard (Poly)
SN-FLAME-2	6" x 27" "Flammable Gas" Decal (4" letters)



SN-1075



SN-MOUNT



SN-1075F

DECALS, MAGNETS, MOUNTING HOLDERS, FLIP PLACARDS

RMI Part No.	Description
SN-1075	10½" Diamond Decal-red w/ white letters
SN-1075R	10½" Diamond Sign-rigid vinyl
SN-MOUNT	Placard Mounting Holder
SN-MAGNET	10½" Diamond Vinyl Magnet
SN-1075F	Aluminum "Easy-Flip" Placard-contains 1075, 1005 & Blank



SN-PUSH-V



SN-PULL-V

PUSH/PULL SIGNS

RMI Part No.	Description
SN-PULL-V	Pull to Close Sign, Vinyl Plastic
SN-PUSH-V	Push to Close Sign, Vinyl Plastic



SN-GATE-M



GSTCC-B

RMI Part No.	Description
SN-GATE-M*	NOTICE: Open Gates, Metal Sign - 10" x 14"
GSTCC-B	Stop Car Connected 12" x 15"

*Required in all New Jersey plants.