


**TRACPIPE® COUNTERSTRIKE® PROTECTION DEVICES**

**FLEXIBLE STEEL CONDUIT**


Provides protection for CSST at termination fittings and horizontal runs between wall studs. Also ideal for situations where extra protection would be beneficial.



FLOPPY Series

RMI Part No.	Description	Size	Pkg. Qty.	Lb.
FPY-375CT	Floppy - fits 3/8" Cut 1 ft.	3/4"	50 Box	11
FPY-500CT	Floppy - fits 1/2" Cut 1 ft.	1"	50 Box	15
FPY-750CT	Floppy - fits 3/4" Cut 1 ft.	1 1/4"	25 Box	17.5
FPY-1000CT	Floppy - fits 1" Cut 1 ft.	1 1/2"	25 Box	24
FPY-375-50	Floppy - fits 3/8"	3/4"	50 ft/coil	9
FPY-500-50	Floppy - fits 1/2"	1"	50 ft/coil	13
FPY-750-25	Floppy - fits 3/4"	1 1/4"	25 ft/coil	15.5
FPY-1000-25	Floppy - fits 1"	1 1/2"	25 ft/coil	22
FPY-1250-25	Floppy - fits 1 1/4"	2"	25 ft/coil	28.5
FPY-1500-25	Floppy - fits 1 1/2"	2 1/2"	25 ft/coil	46
FPY-2000-25	Floppy - fits 2"	3"	25 ft/coil	51
Tape	Tape - Outdoor Silicone	1" x 12 yd.	Roll 12 yd.	.3
Tape-2	Tape - Outdoor Silicone	2" x 12 yd.	Roll 12 yd.	.6
Tape-Black	Tape - Black	1" x 12yd.	Roll 12 yd.	.3

**CSST TUBE CUTTERS**



RMI Part No.	Size	Description
TC-15	3/8" - 1"	Cutter No. 15
TC-151	3/8" - 1 1/4"	Cutter No. 151
TC-152	1 1/4" - 2"	Cutter No. 152
FGP-E-5272	1 1/4" - 2"	Cutter Wheel


**BONDING CLAMPS**



RMI Part No.	TP/CS	Iron Plate
GC-1	3/8", 1/2"	1/2", 3/4", 1"
GC-2	3/4", 1", 1 1/4"	1 1/4", 1 1/2", 2"
GC-3	1 1/2", 2"	2 1/2" - 4"

**STRIKER PLATES/BACKET**

Provides protection for CSST against penetration where tubing is fixed or movement is restricted by the wood framing.



RMI Part No.	Description	Size
FGP-SP-025	Quarter Striker Plate	3" x 2"
FGP-SP-050	Half Striker Plate	3" x 7"
FGP-SP-075	Three Quarter Striker Plate	3" x 9"
FGP-SP-100	Full Striker Plate	3" x 12"
FGP-SP-617	6 1/2" x 17" Stiker Plate	6 1/2" x 17"

**MANIFOLDS**

Pre-engineered and fabricated multiport manifolds for ease of installation. Pressure tested and suitable for CSST installations where appliance distribution lines are separated. Provides central distribution point for individual runs to each appliance.




RMI Part No.	Description	Size
MI-PC	Coated Manifold	3/4" x 1/2" x 1/2" (4)
MB2	Manifold Bracket	---
MI-ST-500	Stackable Manifold	1/2" F - M x 1/2" (2)
MI-ST-750	Stackable Manifold	3/4" F - M x 1/2" (2)
MI-PC-1X	Large Coated Manifold	1 1/4" x 1" x 3/4" (4)
MI-PC-2X	Large Coated Manifold	2" x 1 1/2" x 1" (4)

## TracPipe TRACPIPE™ CSST TUBING


TracPipe is a flexible stainless steel piping material with enhanced lightning protection for natural gas and propane installations. TracPipe's superior corrugated tubing coupled with AutoFlare fittings combine to make the best CSST product available.

**TECH NOTE:** System must be electrically bonded to earth ground.




RMI Part No.	Size	Reel Length	Lb./Reel
CS-375-250	3/8"	250	37
CS-375-100	3/8"	100	17
CS-500-500	1/2"	500	98
CS-500-250	1/2"	250	52
CS-500-100	1/2"	100	24
CS-500-50	1/2"	50	14
CS-750-250	3/4"	250	70
CS-750-100	3/4"	100	31
CS-750-50	3/4"	50	18
CS-100-180	1"	180	70
CS-100-100	1"	100	40
CS-100-50	1"	50	22
CS-125-250	1 1/4"	250	129
CS-125-150	1 1/4"	150	78
CS-150-250	1 1/2"	250	182
CS-150-150	1 1/2"	150	103
CS-200-150	2"	150	137

### AUTOFLARE™ BRASS TEE FITTINGS



T500-750




T500-500

RMI Part No.	Description	Carton Qty.*
T500-750	(2) 1/2" FNPT x 3/4" MNPT TEE for TracPipe	12
T500-500	1/2" FNPT TEE for TracPipe	14
T750-750	3/4" FNPT TEE for TracPipe	12
T750-500	3/4" x 1/2" FNPT TEE for TracPipe	12
T1000-1000	1" FNPT TEE for TracPipe	10


RMI Part No.	Description	Carton Qty.
CPLG-375	3/8" Coupling for TracPipe	24
CPLG-500	1/2" Coupling for TracPipe	24
CPLG-750	3/4" Coupling for TracPipe	16
CPLG-1000	1" Coupling for TracPipe	16
CPLG-1250	1 1/4" Coupling for TracPipe	6
CPLG-1500	1 1/2" Coupling for TracPipe	4
CPLG-2000	2" Coupling for TracPipe	4

### AUTOFLARE™ BRASS COUPLINGS



CLPG-500

### STRAIGHT MECHANICAL AUTOFLARE BRASS FITTINGS




Straight Fitting


RMI Part No.	Description	Carton Qty.
FST-375*	3/8" Straight for TracPipe	24
FST-500	1/2" Straight for TracPipe	24
FST-750	3/4" Straight for TracPipe	16
FST-1000	1" Straight for TracPipe	16
FST-1250	1 1/4" Straight for TracPipe	6
FST-1500	1 1/2" Straight for TracPipe	4
FST-2000	2" Straight for TracPipe	4

\*3/8" size fittings have 1/2" NPT threads.

### FLANGE MOUNT AUTOFLARE™ BRASS FITTINGS



Straight Flange Mount




90° Flange Mount


RMI Part No.	Description	Flange Type	Carton Qty.
BFF-375*	3/8" Straight w/Brass Flange TracPipe	Bronze	12
BFF-500	1/2" Straight w/Brass Flange TracPipe	Bronze	12
BFF-750	3/4" Straight w/Brass Flange TracPipe	Bronze	8
BFF-1000	1" Straight w/Brass Flange TracPipe	Bronze	8
BFF-1250	1 1/4" Straight w/Brass Flange TracPipe	Bronze	4
ELLB-375	3/8" 90° w/Brass Flange TracPipe	Bronze	8
ELLB-500	1/2" 90° w/Brass Flange TracPipe	Bronze	8

\* 3/8" size straight fittings have 1/2" NPT threads.


### TERMINATION MOUNTS & METER TERMINATORS



MT Series



TM Series



90TM Series

RMI Part No.	Description	Size	Carton Qty.
TM-375*	Termination mount	3/8"	12
TM-500	Termination mount	1/2"	12
TM-750	Termination mount	3/4"	8
TM-1000	Termination mount	1"	8
90TM-375*	Termination mount	3/8"	8
90TM-500	Termination mount	1/2"	8
MT6-500	6" Meter Termination	1/2"	1
MT6-750	6" Meter Termination	3/4"	1
MT6-1000	6" Meter Termination	1"	1
MT12-500	12" Meter Termination	1/2"	1
MT12-750	12" Meter Termination	3/4"	1
MT12-1000	12" Meter Termination	1"	1

\*3/8" size fittings have 1/2" NPT threads. (Does not apply to 90°)

**TracPipe**  
by OmegaFlex



A pre-sleeved, "one-step" gas installation system for underground, rooftop, or exterior wall applications. TracPipe PS-II can be installed under buildings, slab, roads, driveways - it's perfect for gas installations in a variety of applications where speed, reliability and safety are paramount.

#### TRACPIPE PS-II TUBING

RMI Part No.	Description	Size	Reel Length (Ft.)	Weight (Lbs./Reel)
UGP-375-250	TracPipe PS-II 3/8"	3/8"	250	57.5
UGP-500-250	TracPipe PS-II 1/2"	1/2"	250	82.5
UGP-750-250	TracPipe PS-II 3/4"	3/4"	250	107.5
UGP-100-250	TracPipe PS-II 1"	1"	250	142.5
UGP-125-150	TracPipe PS-II 1 1/4"	1 1/4"	150	137
UGP-150-150	TracPipe PS-II 1 1/2"	1 1/2"	150	150.5
UGP-200-150	TracPipe PS-II 2"	2"	150	220

**THE SAFETY OF YOUR CUSTOMER IS IN YOUR HANDS**



After 9 years, millions of feet, and tens of thousands of installations, we can safely say "If you're not using Counterstrike® then you're not using the safest gas piping product!"

**OmegaFlex®**  
OmegaFlex, Inc.  
451 Creamery Way  
Exton, PA 19341  
1-800-671-8622  
ISO 9001 Registered Company

**TracPipe CounterStrike**  
Flexible Gas Piping by OmegaFlex.  
Visit our new website at [www.tracpipe.com](http://www.tracpipe.com)  
© Copyright Omega Flex 2013

**TracPipe**  
by OmegaFlex



#### TRACPIPE™ PS-II COUPLINGS

RMI Part No.	Description	Size	Package Quantity	Weight (Lbs.)
UGC-375	TracPipe PS-II Coupling	3/8" T/P Coupling	25/box	.65
UGC-500	TracPipe PS-II Coupling	1/2" T/P Coupling	20/box	.70
UGC-750	TracPipe PS-II Coupling	3/4" T/P Coupling	16/box	1.05
UGC-1000	TracPipe PS-II Coupling	1" T/P Coupling	9/box	1.40
UGC-1250	TracPipe PS-II Coupling	1 1/4" T/P Coupling	9/box	2.50
UGC-1500	TracPipe PS-II Coupling	1 1/2" T/P Coupling	8/box	4.25
UGC-2000	TracPipe PS-II Coupling	2" T/P Coupling	5/box	6.90

**TracPipe**  
by OmegaFlex



TracPipe PS-II fittings are constructed from TracPipe patented Autoflare® fittings with a plastic containment coupling and 1/4" NPT vent port. Fittings assemble without special tools.

#### TRACPIPE PS-II MALE ADAPTORS

RMI Part No.	Description	Size	Package Quantity	Weight (Lbs.)
UGF-375	TracPipe PS-II Male Adaptor	3/8" NPT Male	25/box	.45
UGF-500	TracPipe PS-II Male Adaptor	1/2" NPT Male	20/box	.50
UGF-750	TracPipe PS-II Male Adaptor	3/4" NPT Male	16/box	.65
UGF-1000	TracPipe PS-II Male Adaptor	1" NPT Male	9/box	.90
UGF-1250	TracPipe PS-II Male Adaptor	1 1/4" NPT Male	9/box	1.60
UGF-1500	TracPipe PS-II Male Adaptor	1 1/2" NPT Male	8/box	2.65
UGF-2000	TracPipe PS-II Male Adaptor	2" NPT Male	5/box	4.30

Tel: 800-628-5044

**RAY MURRAY, INC.**  
Order online at [www.raymurray.com](http://www.raymurray.com)  
or call for personal assistance

Fax: 800-243-8341