

COUNTERSTRIKE CSST TUBING

The flexibility and long lengths of CounterStrike® CSST make it perfect for remodel/ repair work. It can be pulled like wire, which minimizes the need to remove and replace walls, while at the same time potentially reducing both construction cost and shortening lead times. CounterStrike® features a single robust protective jacket over a non-annealed CSST, which offers enhanced crush resistance. The superior crush resistance of CounterStrike® CSST means that it lays straighter, is simpler to cut and pulls easier in new home construction.



TECH NOTE: System must be electrically bonded to manufacturers instructions, local codes and the AHJ.

Size	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
Reel Length	RMI Part No.						
25ft	-	CS-500-25	CS-750-25	CS-100-25	-	-	-
50ft	-	CS-500-50	CS-750-50	CS-100-50	-	-	-
100ft	CS-375-100	CS-500-100	CS-750-100	CS-100-100	-	-	-
150ft	-	-	-	-	CS-125-150	CS-150-150	CS-200-150
180ft	-	-	-	CS-100-180	-	-	-
250ft	CS-375-250	CS-500-250	CS-750-250	-	CS-125-250	CS-150-250	-
500ft	-	CS-500-500	-	-	-	-	-

FLEXIBLE STEEL CONDUIT

Provides protection for CSST at termination fittings and horizontal runs between wall studs. Also ideal for situations where extra protection would be beneficial.

RMI Part No.	Description	Size	Length
FPY-375CT	Cut Conduit - Fits 3/8" CSST	3/4"	1ft
FPY-375-50	Conduit Roll - Fits 3/8" CSST	3/4"	50ft
FPY-500CT	Cut Conduit - Fits 1/2" CSST	1"	1ft
FPY-500-50	Conduit Roll - Fits 1/2" CSST	1"	50ft
FPY-750CT	Cut Conduit - Fits 3/4" CSST	1-1/4"	1ft
FPY-750-25	Conduit Roll - Fits 3/4" CSST	1-1/4"	25ft
FPY-1000CT	Cut Conduit - Fits 1" CSST	1-1/2"	1ft
FPY-1000-25	Conduit Roll - Fits 1" CSST	1-1/2"	25ft
FPY-1250-25	Conduit Roll - Fits 1-1/4" CSST	2"	25ft
FPY-1500-25	Conduit Roll - Fits 1-1/2" CSST	2-1/2"	25ft
FPY-2000-25	Conduit Roll - Fits 2" CSST	3"	25ft
TAPE	Tape - Outdoor Silicone	1"	12yd
TAPE-2	Tape - Outdoor Silicone	2"	12yd
TAPE-BLACK	Tape - Black	1"	12yd



CSST REDUCING FITTINGS

RMI Part No.	Size 1	Size 2	Size 3
Male Adapters - CSST x NPT			
RST500-750	1/2"	3/4"	-
RST750-500	3/4"	1/2"	-
RST1000-750	1"	3/4"	-
Male Tee - CSST x CSST x MPT			
T500-750	1/2"	1/2"	3/4"
Reducing Tee - CSST x CSST x CSST			
TF750-T500	3/4"	3/4"	1/2"
TF1000-T500	1"	1"	1/2"
TF1000-T750	1"	1"	3/4"
TF1250-T500	1-1/4"	1-1/4"	1/2"
TF1250-T750	1-1/4"	1-1/4"	3/4"
TF1250-T1000	1-1/4"	1-1/4"	1"
TF1500-T500	1-1/2"	1-1/2"	1/2"
TF1500-T750	1-1/2"	1-1/2"	3/4"
TF1500-T1000	1-1/2"	1-1/2"	1"
TF1500-T1250	1-1/2"	1-1/2"	1-1/4"
TF2000-T500	2"	2"	1/2"
TF2000-T750	2"	2"	3/4"
TF2000-T1000	2"	2"	1"
TF2000-T1250	2"	2"	1-1/4"
TF2000-T1500	2"	2"	1-1/2"

STRIKER PLATES

Provides protection for CSST against penetration where tubing is fixed or movement is restricted by the wood framing.

RMI Part No.	Description	Size
FGP-SP-025	Quarter Striker Plate	3" x 2"
FGP-SP-050	Half Striker Plate	3" x 7"
FGP-SP-075	Three Quarter Striker Plate	3" x 9"
FGP-SP-100	Full Striker Plate	3" x 12"
FGP-SP-617	6-1/2" x 17" Striker Plate	6-1/2" x 17"



FGP-SP-025



FGP-SP-050



FGP-SP-075



FGP-SP-100

Size	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
Description	RMI Part No.						
Male Adapter	FST-375*	FST-500	FST-750	FST-1000	FST-1250	FST-1500	FST-2000
Female Adapter	FSTF-375*	FSTF-500	FSTF-750	FSTF-1000	-	-	-
Coupling	CPLG-375	CPLG-500	CPLG-750	CPLG-1000	CPLG-1250	CPLG-1500	CPLG-2000
Straight Flange	RFG-375	RFG-500	RFG-750	RFG-1000	RFG-1250	-	-
90° Flange Fitting	-	ELLS-500	-	-	-	-	-
90° Flange Valve	RF90V-375	RF90V-500	RF90V-750	-	-	-	-
CSST Tee	-	TF500-T500	TF750-T750	TF1000-T1000	-	-	-
CSST x FPT Tee	-	T500-500	T750-750	T1000-1000	-	-	-
Split Rings	RING-375	RING-500	RING-750	RING-1000	RING-1250	RING-1500	RING-2000

* 3/8" size fittings have 1/2" MPT threads



CPLG-500




ELLS-500



FST-500



FSTF-500



RF90V-500



RFG-500



RING-500



TF500-T500



Non-stock/special order items are not cancellable or returnable

Shop online at www.raymurray.com or call 800-628-5044

MANIFOLDS

Pre-engineered and fabricated multiport manifolds for ease of installation. Pressure tested and suitable for CSST installations where appliance distribution lines are separated. Provides central distribution point for individual runs to each appliance.

RMI Part No.	Description	Size
MI-PC	Coated Manifold	3/4" x 1/2" x 1/2" (4)
MB2	Manifold Bracket	-
MI-ST-500	Stackable Manifold	1/2"F - M X 1/2" (2)
MI-ST-750	Stackable Manifold	3/4"F - M X 1/2" (2)
MB-ST	Stackable Manifold Bracket	Fits MI-ST
LC-XX	Load Center w/ Bracket	-
MI-PC-1X	Large Coated Manifold	1-1/4" x 1" x 3/4" (4)
MI-PC-2X	Large Coated Manifold	2" x 1-1/2" x 1" (4)



MI-PC

METER TERMINATIONS

RMI Part No.	Description
MT6-500	1/2" x 6" Meter Termination
MT6-750	3/4" x 6" Meter Termination
MT6-1000	1" x 6" Meter Termination
MT6-1250	1-1/4" x 6" Meter Termination
MT12-500	1/2" x 12" Meter Termination
MT12-750	3/4" x 12" Meter Termination
MT12-1000	1" x 12" Meter Termination
MT12-1250	1-1/4" x 12" Meter Termination



METER TERMINATIONS

BONDING CLAMPS

RMI Part No.	Size - CSST	Size - Pipe
GC-1	3/8", 1/2"	1/2", 3/4", 1"
GC-2	3/4", 1", 1-1/4"	1-1/4", 1-1/2", 2"
GC-3	1-1/2", 2"	2-1/2" - 4"



GC-1

METAL WALL BOXES

RMI Part No.	Description	Size
WBTM-375	7" x 7" x 3" Metal Wall Box w/ Valve	3/8"
WBTM-500	7" x 7" x 3" Metal Wall Box w/ Valve	1/2"
WBTM-750	7" x 7" x 3" Metal Wall Box w/ Valve	3/4"



WBTM-500

TUBE CUTTERS

RMI Part No.	Description	Size
32925	Cutter No. 15	3/8" - 1"
TC-151	Cutter No. 151	3/8" - 1-1/4"
TC-152	Cutter No. 152	1-1/4" - 2"
FGP-E-5272	Cutter Wheel	1-1/4" - 2"




TUBE CUTTER

TRACPIPE PS-II TUBING

A pre-sleeved, "one-step" gas installation system for underground, rooftop, or exterior wall applications. TracPipe PS-II can be installed under buildings, slab, roads, or driveways - it's perfect for gas installations in a variety of applications where speed, reliability, and safety are paramount.

Length	100ft	150ft	250ft
Size	RMI Part No.		
3/8"	-	-	UGP-375-250
1/2"	UGP-500-100	-	UGP-500-250
3/4"	UGP-750-100	-	UGP-750-250
1"	UGP-100-100	-	UGP-100-250
1-1/4"	-	UGP-125-150	-
1-1/2"	-	UGP-150-150	-
2"	-	UGP-200-150	-



PS-II COUPLINGS

RMI Part No.	Size	Pack Size
UGC-375	3/8"	25
UGC-500	1/2"	20
UGC-750	3/4"	16
UGC-1000	1"	9
UGC-1250	1-1/4"	9
UGC-1500	1-1/2"	8
UGC-2000	2"	5



UGC-750

TRACPIPE PS-II MALE ADAPTERS

TracPipe PS-II fittings are constructed from TracPipe patented Autoflare fittings with a plastic containment coupling and 1/4" NPT vent port. Fittings assemble without special tools.

RMI Part No.	Size	Pack Size
UGF-375	3/8"	25
UGF-500	1/2"	20
UGF-750	3/4"	16
UGF-1000	1"	9
UGF-1250	1-1/4"	9
UGF-1500	1-1/2"	8
UGF-2000	2"	5



UGF-1000

TracPipe CounterStrike
Flexible Gas Piping by OmegaFlex.

Leading Supplier
for Natural Gas and Propane

CounterStrike® CSST
Safety • Ease • Innovation • Performance

[in](#) [@](#)