


### TANK MOUNTING STANDS

Our heavy duty stand includes 18" bracket feet for additional stability. The entire mount slides onto 2" pipe (not included).

RMI Part No.	Description	Key*
MT-TANK-2	Heavy Duty Stand 18" Tall X 40" Wide	A&C
MT-PUMP-2	Heavy Duty Pump Bracket	B

\*Refer to Diagram



### BREAK-A-WAY COUPLINGS

The FloKill Break-A-Way Coupling from MEC flows both directions and protects against expensive loss of product or equipment damage if a pull-away occurs during a transfer operation. In the event of an excessive amount of pull force, the break-a-way coupling will separate and immediately shut off product flow in both directions.

Bracket Style	LANYARD Style	Connection FNPT	OAL	Accessory Reassembly Tool
ME860S-6	ME861S-6	3/4"	6"	MEP128-6
ME860S-8	ME861S-8	1"	6-3/4"	-
ME860S-10	ME861S-10	1-1/4"	7-3/4"	-
-	ME861S-16	2"	10-1/4"	-



### AUTOMATIC CYLINDER FILLING VALVE

Used on cylinder filling manifold. Shuts off gas supply when specified cylinder weight is reached. Operates on propane vapor or air. No electricity required. 1/2" FNPT inlet and outlet. For beam scales only.

RMI Part No.	Description
N201	Automatic Cylinder Filling Valve



### FILL STATION SIGNAGE

RMI stocks a wide array of signage and decals. For a full listing of what we carry, please refer to pages 147-151. Custom signage is also available. Please call our customer service team for more info.

RMI Part No.	Description
SN-FILL-2	10" x 16" Propane Cylinder Filling Procedures Decal
SN-NSD8	3" x 14" No Smoking Decal w/ 2" Red Lettering
SN-OSHA-MED	7.5" x 7.5" NFPA Hazard Diamond Decal
SN-PROPANE	12" x 3" Propane Decal w/ 2" Red Lettering



### HIGH CAPACITY DISPENSING FILTER

The ME680 LPG Dispenser Filter is designed to remove 99.9% of solid contaminants from LPG systems. These contaminants can be introduced into the system during the refining process from holding tanks as well as the delivery trucks used to transport the liquid fuel.

#### HIGH CAPACITY DISPENSING FILTER

RMI Part No.	Inlet/Outlet	Flow Rate*	Length	Diameter	Filter Element	Max Operating Pressure	Max Operating Temp
ME680-8	1" FNPT	35 GPM	8"	5"	20 Micron	350PSI	175°F

\*Flow rate calculated @ 6.2PSI pressure differential



ME680-8

RMI Part No.	Description
ME680-8-ERK	Replacement Filter Element

### FAIRBANKS PORTABLE SCALES

Built to stand the test of time, the Fairbanks model 1124 portable scale has a heavy-duty cast iron construction, easy to read etched bronze beam, and a large 17-3/4" x 23-1/2" platform. The scale has a 1000lb capacity, with varying pillar height options for different applications. Use the short pillar for 20lb cylinders, or the tall pillar for 100lb cylinders.

RMI Part No.	Style	Height
1124	Standard Pillar	43"
1124-S	Standard Pillar - 20#	28"
1124-L	Tall Pillar - 100#	66"



1124

### COUNTERWEIGHTS

RMI Part No.	Description
1124-100	100# Counterweight - (1 lb.)
1124-200	200# Counterweight - (2 lb.)
1124-400	400# Counterweight -(4 lb.)

### FILL STATION NOZZLES

- Fill Mobile & Stationary Tanks
- Light Weight and well Balanced
- Will Not disconnect From Filler Valve While Lever in Open Position
- Fine Filter Incorporated in Nozzle
- Long Swivel Nut For Fork Lift Truck Filling

RMI Part No.	Description
ZVG2T	3/4" FNPT x Euro Nozzle w/ Talker Latch
GG.20HSL	3/4" FNPT x ACME Hybrid Nozzle w/ Talker Latch
ME516 & ME791CJ	Type 1 Filler Valve 1/4" w/ Toggle Valve & Bleeder
11494005	ACME Vehicle to Euro Nozzle Adapter
11494006	Euro Vehicle to ACME Nozzle Adapter



P158 - GG20.HSL



P158 - ZVG2T



Non-stock/special order items are not cancellable or returnable

Shop online at [www.raymurray.com](http://www.raymurray.com) or call **800-628-5044**

# DISPENSE GALLONS WITH EASE

## RMI'S PLUG-AND-PLAY SOLUTION MAKES INSTALLATION A BREEZE!

### EACH STANDARD D-2A ASSEMBLED DISPENSER INCLUDES:

- 45"D x 40"W x 52"H Diamond-Plate Aluminum 3-Door Lockable Cabinet
- Blackmer LGF1P Pump with 1.5HP Motor
  - Optional Corken C12 Pump with 2HP Motor
- 3/4" Non-Compensated Mechanical Meter w/Register
  - Electronic Options Available
- Fisher Internal Valve with Latch
- 18' Hose with Quick Activating Valve
- MEC Breakaway Coupling for RV Filling
- Complete Fitting and Adapter Kit for All Common Cylinder Connections
- All Required Signage and Decals
- (Optional) Fairbanks 1124 Scale
- (Optional) Heavy Duty Tank Stands



### WHY CHOOSE RMI FOR YOUR NEXT DISPENSER SOLUTION?



**Save hours of labor with our custom D-2A dispenser packages**

- Pipe to the tank and wire up the electrical - leave the rest to us



**Designed & assembled in-house by professionals with quality in mind**

- Run with the standard build, or call in for a customized quote



**Fast Turnaround**

- Cabinets are inventoried locally



**Competitive Pricing**

- Increase your bottom line



**CONTACT YOUR RMI REP FOR  
 MORE DETAILS INCLUDING  
 PRICING AND CUSTOM DESIGNS**

[raymurray.com](http://raymurray.com)

800-628-5044

