





ENERCO GARAGE/WORKSHOP RADIANT OVERHEAD HEATER

Whether you use this heater in your garage, workshop to keep the work force comfortable, poultry house eggroom, the HeatStar Radiant Heater transfers almost all of the fuel it burns directly into clean safe radiant heat. Efficient Infrared heat that directly heats people and objects which in turns heats surrounding air to desired temperature.

- MADE in U.S.A
- 99.9% fuel efficient
- CSA Certified
- For use in buildings with 7 8 feet ceilings
- Includes adjustable thermostat for individually controlled warmth and all necessary brackets and hardware
- Unique Power Pile Thermocouple to control the valve, no electricity is required. (Hook-up the included millivolt thermostat with the appropriate wire - not included - then mount the heater to wall and make gas connection, ready to go.
- Quiet, Clean, Odor-Free Operation
- **DO NOT** use this in sleeping quarters, mobile homes or recreational vehicles

Model #	Gas Type	Operation	BTU's	Description	Length x Width x Height
HS22L	LP	Power Pile Ignition	22,000	High Intensity Radiant Overhead Workshop, Thermostat Heater	29.75" x 12.25" x 7"
HS25N	NAT	Power Pile Ignition	25,000	High Intensity Radiant Overhead Workshop, Thermostat Heater	29.75" x 12.25" x 7"

ENERCO HIGH INTENSITY INFRARED OVERHEAD HEATERS

Infrared Heaters direct line of site radiant heat to floor-level objects, which in turn, heat surrounding air to the desired temperature. High Intensity Heaters are ideal for use in drafty or windy conditions like loading docks, auto mechanic bays.

MADE IN U.S.A.

- CSA Certified
- Durable, Rugged Construction, Non-Corrosive Materials used throughout Heater Construction
- Instant heat, Quiet, Clean, Odor-Free Operation
- Maintenance Free No Moving Parts to Service
- No Direct Venting Required
- Multiple BTU's Outputs (conversion orifices included)
- Spark Ignition "SP" Models ship w/ 120V/24VAC/40VA Transformer
- Power Pile Ignition "PP" Models ship w/ Thermostat and nor Electricity or Direct Venting are required for operation

LP Model #	NG Model #	Operation	BTU's Description W		Width	Depth	Height
HS4040SPLP	HS4040SPNG	Auto Spark Ignition	40,000	High Intensity Infrared, Pilot w/ Safety Burner Shutoff, 24VAC Control w/ Intermittent Pilot	20.75"	35.25"	12.25"
HS4040PPLP	HS4040PPNG	Power Pile MV	40,000	High Intensity Infrared, Manually Lit Pilot, Safety shutoff on Pilot Burner w/ Thermostat	20.75"	35.25"	12.25"
HS8060SPLP	HS8060SPNG	Auto Spark Ignition	60,000	60,000 High Intensity Infrared, Pilot w/ Safety Burner Shutoff, 24VAC Control w/ Intermittent Pilot		48.25"	13.5"
HS8060PPLP	HS8060PPNG	Power Pile MV	60,000	High Intensity Infrared, Manually Lit Pilot, Safety shutoff on Pilot Burner w/ Thermostat	20.25"	48.25"	13.5"
HS9100SSPLP	HS9100SSPNG	Auto Spark Ignition	100,000	High Intensity Infrared, Pilot w/ Safety Burner Shutoff, 24VAC Control w/ Intermittent Pilot	26.5"	64"	13.25"
HS9100SPPLP	HS9100SPPNG	Power Pile MV	100,000	High Intensity Infrared, Manually Lit Pilot, Safety shutoff on Pilot Burner w/ Thermostat	26.5"	64"	13.25"
HS9120SPLP	HS9120SPNG	Auto Spark Ignition	120,000	High Intensity Infrared, Pilot w/ Safety Burner Shutoff, 24VAC Control w/ Intermittent Pilot	26.75"	85.5"	13.13"
HS9120PPLP	HS9120PPNG	Power Pile MV	120,000	High Intensity Infrared, Manually Lit Pilot, Safety shutoff on Pilot Burner w/ Thermostat	26.75"	85.5"	13.13"



HS4040PPLP



273





AMERICA'S MOST COMPLETE LINE OF INDUSTRIAL HEATERS & LP GAS HOSES



For more about the most complete line of portable heaters: 866.447.2194 - heatstarbyenerco.com









ENERCO PORTABLE BUDDY PROPANE HEATER

North America's Most Popular Portable Propane Heaters! These patented radiant Liquid Propane heaters are commonly used for Ice Fishing, Hunting, Camping, Workshops and Outdoors Sports. They connect directly to 1 lb. or 20 lb. cylinders (with hose adapter) and are the perfect solution for heating enclosed spaces from tents to cabins. The expertly engineered size to BTU ratio is augmented with a fold-down handle to give these heaters maximum output to a remote gas supply with the purchase of a hose and filter. To light the unit, simply rotate the knob to pilot and push. Then the integrated Piezo sparking mechanism will take care of the rest. With the Oxygen Depletion Sensor (ODS) and accidental tip-over safety shut-off, you can be sure that you will enjoy years of comfortable indoor safe heat.



MH9BX

Model #	Gas Type	Operation	BTU's	Description
MH4B	LP	Piezo Sparking	3,800	Little Buddy Portable Radiant Heater
MH4GC	LP	Piezo Sparking	4,000	Golf Cart Portable Radiant Heater
MH8CFLEX	LP	Electronic	4,000 - 8,000	Buddy Flex Cooker Portable Radiant Heater
МН9ВХ	LP	Piezo Sparking	4,000 - 9,000	Buddy Portable Radiant Heater
MH9BX-OUTDOOR	LP	Piezo Sparking	4,000 - 9,000	(MA & Canada) Buddy Portable Radiant Heater
MH11BFLEX	LP	Electronic	8,000 - 11,000	Buddy Flex Portable Radiant Heater
MH11BFLEX-MA	LP	Electronic	8,000 - 11,000	(MA) Buddy Flex Portable Radiant Heater
MH12HB	LP	Electronic	6,000 - 12,000	Hunting Buddy Portable Radiant Heater
MH18B	LP	Piezo Sparking	4,000 - 18,000	Big Buddy Portable Radiant Heater without Fan
MH18CH	LP	Piezo Sparking	6,000 - 18,000	Cabinet Patio Portable Radiant Heater with Hose & Regulator

ENERCO PORTABLE BUDDY ELECTRIC HEATER

Model # MHBW150FAT with a Fold Down Handle offers 2 Heat Settings w/ Fan only Setting, Adjustable Thermostat, Power Indictor Light. This model is ideal for small to medium rooms. Model # MHBEW150FATW can be mounted to wall or placed on floor using the included feet, Ability to control heater via Wi-Fi through Smart Life App (App is free for iOS and Android), Simple Voice controls enabled with common Smart Home Devices, LED Touch Screen Display, 3 heat modes: ECO/Low/High, Adjustable Thermostat with 12 Hour Timer. This model is ideal for medium to large rooms.



Model #	Gas Type	Description
MHBE150FAT	Electric	Electric Buddy 1500w 120v Portable Heater with 6' cord
MHREW15ΩΕΔΤ	Flectric	Flectric Buddy 1500w 120y Wall Mount Heater with 6' cord

MHBE150FAT

ACCESSORIES

Model #	Gas Type	Description
73701	МН9ВХ, МН12НВ, МН18В	5' - Swivel 1" - 20 Male Throwaway Cylinder Thread x Soft Nose Excess Flow POL w/ Handwheel Propane Hose Assembly (Fuel Filter Required)
73702	МН9ВХ, МН12НВ, МН18В	12' - Swivel 1" - 20 Male Throwaway Cylinder Thread x Soft Nose Excess Flow POL w/ Handwheel Propane Hose Assembly (Fuel Filter Required)
73704	МН9ВХ, МН12НВ, МН18В	10' Buddy Series Swivel 1" - 20 Male Throwaway Cylinder Thread x Soft Nose Excess Flow POL w/ Handwheel Propane Hose Assembly (NO Fuel Filter Required)
71803	MH18B	12' Big Buddy Propane Hose Assembly w/ Regulator & Quick Connect
F273669	MH9BX, MH12HB, MH18B	Universal Fuel Filter, 6pk









ENERCO VENT FREE HEATERS

Are perfect supplemental heating solutions even on the coldest days. Enjoy the comfort and warmth of safe, clean-burning all year-round. Great for recreation rooms, enclosed porches, room additions, cabins and workshops.

- MADE in CHINA
- Wall Brackets and feet are included with all models
- Blowers fan included (20,000 and 30,000 models only)
- Thermostat for automatic temperature control (LPBT and NGBT models only)
- Oxygen Depletion Sensor (ODS) which automatically shuts off if inadequate oxygen levels are detected
- This appliance is a supplemental heat and may not be use as a primary heat source
- Please refer to your local codes regarding installation and permitted uses





HSSVFBF20

HSSVFRD30

INFRARED HEATERS

LP Model #	NG Model#	Operation	BTU's	BTU's Description		Depth	Height
HSVFRD10LP	HSVFRD10NG	Electronic Push Button Igintion	10,000	Vent-Free Infrared Wall Bracket, Feet - No Blower	15.75"	7.5"	20"
HSSVFRD10LPT	-	Electronic Push Button Igintion	10,000	Vent-Free Infrared Wall Bracket, Feet -Thermostat - No Blower	15.75"	7.5"	20"
HSSVFRD20LPBT	HSSVFRD20NGBT	Electronic Push Button Igintion	20,000	Vent-Free Infrared Wall Bracket, Feet -Thermostat - Blower	20"	8"	24'
HSSVFRD30LPBT	HSSVFRD30NGBT	Electronic Push Button Igintion	30,000	Vent-Free Infrared Wall Bracket, Feet -Thermostat - Blower	28"	8"	24.5"

BLUE FLAME HEATERS

LP Model #	NG Model#	Operation BTU's		Description		Depth	Height
HSVFBF10LP	HSVFBF10NG	Electronic Push Button Igintion	10,000	Vent-Free Blue Flame Wall Bracket, Feet - No Blower	15.75"	7.5"	20"
HSSVFBF10LPT	-	Electronic Push Button Igintion	10,000	Vent-Free Blue Flame Wall Bracket, Feet -Thermostat - No Blower	15.75"	7.5"	20"
HSSVFBF20LPBT	HSSVFBF20NGBT	Electronic Push Button Igintion	20,000	Vent-Free Blue Flame Wall Bracket, Feet -Thermostat - Blower	20"	8"	24'
HSSVFBF30LPBT HSSVFBF30NGBT		Electronic Push Button Igintion	30,000	Vent-Free Blue Flame Wall Bracket, Feet -Thermostat - Blower	28"	8"	24.5"







MR. HEATER TANK TOP HEATERS

The Tank Top heaters are a perfect solution for a variety of outdoor heating applications from sporting events to ice fishing for many decades. Simply put, Mr. Heater Tank Top Heaters last longer than any other tank top!

- Outdoor Use Only
- No Electricity required, Multiple Control Heat Settings: 10,000 45,000 btu's
- · Convenient, Portable, Fast, and easy to light when you want quick heat
- Tip-Over Safety Shut-Off (MH15T/MH30T/MH45/MH540T Models)
- · Constructed from Premium Materials, Chrome Reflectors and High Grade Stainless Steel Burning Surface
- MH15TS and MH30TS with Piezo Spark Ignition NOT CERTIFIED for CANADA
- MH540T Heater offers a unique pivoting/rotating burner features both directional & multi-directional 540 degrees of heat, push button thermo-electric valve

Model #	Gas Type	Operation	BTU's	Description
MH15	LP	Match Lit	10,000-15,000	Single Radiant Tank Top Heater (1 lb cylinder)
MH15C	LP	Match Lit	10,000-15,000	Single Radiant Tank Top Cooker-Heater, (1 lb cylinder)
MH15T	LP	Match Lit	10,000-15,000	Single Radiant Tank Top Hi-Med-Low Regulator Heater
MH15TS	LP	Electronic Spark Ignition	10,000-15,000	Single Radiant Tank Top Hi-Med-Low Regulator Heater
MH30T	LP	Match Lit	10,000-30,000	Double Radiant Tank Top Hi-Med-Low Regulator Heater
MH30TS	LP	Electronic Spark Ignition	10,000-30,000	Double Tadiant Tank Top Hi-Med-Low Regulator Heater
MH45T	LP	Match Lit	8,000-45,000	Triple Radiant Tank Top Hi-Med-Low Regulator Heater
MH540T	LP	Match Lit	29,000-45,000	Rotating 540 Degree Radiant Burner Tank Top Heater

