





ECLIPSE SMART-HEAT ELECTRIC HEATERS

- Premium Coated 304 Stainless Steel (heater head)
- Warm White LED Color Dimmable
- Premium, Double Coated Steel (mounting arms)
- · Minimal Vertical Clearance Requirements and Wide Range of Wall, Ceiling and Free-Standing Options

Wireless On/Off Controller

Bromic Heating independent 'On/Off' controller with wireless 4-Channel Remote can control up to two electric or four gas heaters across two separate circuits from up to 100 FT away. The wireless remote is fully portable or can be easily mounted with the included double-sided adhesive/screws.

Wireless Dimmer Control

With our Dimmer Control and wireless 7-Channel remote, you'll be able to precisely adjust the output of your electric heaters in 1% increments, or quickly jump by 25% increments for perfect comfort and complete flexibility from up to 100 FT away. The remote can be kept separate or easily mounted with the included double-sided adhesive or screws. Each dimmer controls one 6800W heater at 240VAC or two 3400W heaters at 240VAC.

ECLIPSE CEILING ELECTRIC HEATER

| Model # | Description |
|-----------|---|
| BH0920001 | Eclipse Smart-Heat Electric Unit with 24" Twin Ceiling Pole |

ECLIPSE MOUNTING ARM ACCESS

| Model # | Description |
|-----------|---------------------------|
| BH3230001 | 8" Straight Ceiling Pole |
| BH3230002 | 24" Straight Ceiling Pole |
| BH3230003 | 24" Curved Ceiling Pole |
| BH3230004 | 48" Straight Ceiling Pole |
| BH3230005 | Wall Mount Pole |

ECLIPSE PORTABLE HEATER

| Model # | Description |
|-----------|--|
| BH0820001 | Eclipse Smart-Heat Electric Portable with Dimmer Control |

ECLIPSE PORTABLE ACCESSORIES

| Model # | Description |
|-------------|---|
| BH3230007 | Eclipse Electric Pendent Dimmer Control |
| BH3130012-2 | 42 Channel, Remote |

ECLIPSE REPLACEMENT PARTS

| Model # | Description |
|------------|---|
| BH3130012 | 42 Channel Remote -Used with Dimmer Switches |
| BH3130025 | 4 Channel Wall Transmitter (replacement) |
| BH8080015 | PCB Control for 300 & 500 Series Platinum/Tungsten |
| BH8080030 | Burner for Platinum/Tungsten Heaters |
| BH8080037 | Manifold Assembly NG Platinum/Tungsten 500 Heaters |
| BH8080038 | Manifold Assembly NG Platinum/Tungsten 300 Heaters |
| BH8180001 | Tube Element 240V 2000W for Tungsten Electric 2000/4000 |
| BH8180002 | Tube Element 240V 2000W for Tungsten Electric 3000/6000 |
| BH8280004 | Ignition Pack - Tungsten Portable |
| BH82800036 | Thermocouple Assembly - Tungsten Portable |



ECLIPSE ELECTRIC AND GAS ACCESS

| Model # | Description |
|-------------|--|
| BH3130010-2 | ON/Off Switch for Electric and Gas Heaters |
| BH3130011-2 | Dimmer Switch for Electric Heaters |









MARINE GRADE ELECTRIC HEATERS

Our high-quality outdoor heaters and accessories have been developed & engineered specifically for marine applications and coastal environments and are the only outdoor heaters on the market that are fully Lloyd's register certified. Made of high-quality, AISI316 stainless-steel, Bromic Platinum Smart-HeatTM Electric Marine heaters were specifically engineered to provide superior resistance to the corrosive elements of coastal and marine environments. With their slim, aesthetic design and wind-resistant, radiant heat output, the Platinum Smart-HeatTM Electric Marine heaters are the ideal solution to enrich the comfort experience of owners of coastal residences and superyachts & guests on cruise ships.

Features/Benefits

- Compact & Elegant Design.
- Premium Stainless-Steel Construction.
- Tinted Glass-Ceramic Fascia.
- Slim-line Design.
- Simple and easy to use, with single-switch activation and smart system compatibility.
- Sealed compartment with thin film elements to prevent corrosion.
- Adjustable Mounting Brackets.

What's Included

- (1) 3,400 Watt Marine Grade Platinum Electric Heater.
- (1) 6" adjustable bracket for wall or ceiling mount applications.

| Model # | Description |
|-----------|---|
| BH0320015 | 33" Electric Marine Grade, 2300W, 220/240v, Black |
| BH0320016 | 50.2" Electric Marine Grade, 3300W, 220/240v, Black |
| BH0320017 | 33" Electric Marine Grade, 2300W, 220/240v, White |
| BH0320018 | 50.2" Electric Marine Grade, 3400W, 220/240v, White |
| BH3130034 | Marine Grade Silver Ceiling Recess Kit, 2300W |
| BH3130035 | Marine Grade Silver Ceiling Recess Kit, 3400W |
| BH3130046 | 316 Tube Suspension Kit, 4' - 2300W/3400W |
| BH3130047 | 316 Tube Suspension Kit, 2' - 2300W/3400W |



BH0320018





315







PLATINUM ELECTRIC HEATERS

Looking for a heater that offers the most effective heating technology, an award-winning design and very little light emission? You found it. With its ultra-slim, high-quality 304 stainless steel chassis and Schott tinted ceramic-glass screens, the award-winning Platinum Smart-HeatTM Electric virtually disappears into its surroundings while delivering market-leading radiant heat output that will warm you and not the air – just like the sun.

Features/Benefits

- Compact & Elegant Design.
- Premium Stainless-Steel Construction.
- Tinted Glass-Ceramic Fascia.
- Slim-line Design.
- Simple and easy to use, with single-switch activation and smart system compatibility.
- Adjustable Mounting Brackets.

What's Included

- (1) 3,400 Watt Platinum Electric Heater.
- (1) 6" adjustable bracket for wall or ceiling mount applications.

| Model # | Description |
|-------------|--|
| PLA2300W | 33" Electric Heater, 220/240v (BH0320003), Black |
| PLA3400W | 50.2" Electric Heater, 220/240v (BH3622000), Black |
| PLA4500W | 53.2" Electric Heater, 220/240v (BH0320005), Black |
| PLA2300W-WH | 33" Electric Heater, 220/240v (BH0320007), White |
| PLA3400W-WH | 50.2" Electric Heater, 220/240v (BH0320008), White |
| PLA4500W-WH | 53.2" Electric Heater, 220/240v (BH3622001), White |



PLATINUM ACCESSORIES

| Model # | Description |
|-------------|---|
| BH3130017 | Stainless Steel Ceiling Recess Kit, 2300W |
| BH3623009 | Low Cleaerance Ceiling Recess Kit, 2300W |
| BH3130027 | Stainless Steel Ceiling Recess Kit, 3400W |
| BH3623008 | Low Clearance Ceiling Recess Kit, 3400W |
| BH3623000 | Stainless Steel Ceiling Recess Kit, 4500W |
| BH3130023-1 | Tube Suspension Kit, 2' for 2300/3400W |
| BH3130024-1 | Tube Suspension Kit, 4' for 2300/3400W |
| BH3623020 | Tube Suspension Kit, 2' for 4500W |
| BH3623021 | Tube Suspension Kit, 4' for 4500W |

TUNGSTEN ELECTRIC HEATERS

Expand your living space with the Bromic Tungsten Smart-Heat™ Electric series. Combining stylish, industrial design with market-leading radiant heat technology, the Tungsten Electric 6,000 watt heater will provide an even flow of warmth to outdoor spaces of up to 160 square feet. The heater's high-temperature coating and stainless-steel construction make it suitable for all environments.

Features/Benefits

- Matte Finish Stainless-Steel construction for reliable heating performance and durability, with the choice of corrosion-resistant black or white finishes.
- Superior wind resistance.
- High Quality Quartz Element.
- Parabolic Specular Reflector (PSR).
- Unique Design.
- Precise Directional Heating.

BROOMLS

TNG2000W

What's Included

- (1) Dual element 6,000 Watt Tungsten Heater.
- (2) 9.5" brackets for wall or ceiling mount applications.

| Model # | Description |
|-------------|---|
| TNG2000W | 44" Electric Infrared Heater, 2000W, 220/240V, Single Element (BH0420030) - Black |
| TNG3000W | 56" Electric Infrared Heater, 3000W, 220/240V, Single Element (BH0420031) - Black |
| TNG4000W | 44" Electric Infrared Heater, 4000W, 220/240V, Single Element (BH0420032) - Black |
| TNG6000W | 56" Electric Infrared Heater, 6000W, 220/240V, Double Element (BH0420033) - Black |
| TNG4000W-WH | 44" Electric Infrared Heater, 4000W, 220/240V, Double Element (BH0420012) - White |
| TNG6000W-WH | 56" Electric Infrared Heater, 6000W, 220/240V, Double Element (BH0420013) - White |

TUNGSTEN ELECTRIC ACCESSORIES

| Model # | Description |
|-----------|-------------------------------------|
| BH8180011 | Black Ceiling Recess Kit 3000/6000W |
| BH8180010 | Black Ceiling Recess Kit 2000/4000W |
| BH8180095 | White Ceiling Recess Kit 3000/6000W |
| BH8180096 | White Ceiling Recess Kit2000/4000W |
| BH8180012 | White Tube Suspension Kit 3' |
| BH3130006 | Black Tube Suspension Kit 3' |









PLATINUM RADIANT GAS HEATERS

Add style and warmth to your patio, with Bromic's Platinum 500 series gas heater. This powerful heater combines elegant design with industry-leading technology. With its signature ceramic fascia in a sleek black finish, the Bromic Platinum Gas will not only look great on your wall or ceiling but will also quickly project radiant heat deep into your outdoor area (up to 215ft2) while adding an extra layer of comfort with its soft red glow. The Platinum Gas series successfully overcomes winds of up to 12mph, keeping you and your guests warm in any condition. Choose between natural gas or propane (LPG) options.

Please Note: For low clearance areas, we recommend a heat deflector to protect the mounting surface. This accessory will also provide improved weather resistance and a more directional heat output.

Features/Benefits

- Stylish Tinted Glass-Ceramic Fascia.
- Instantaneous ignition, whenever you require it, without the need for a pilot light.
- Pivot Arm Bracket.
- Multiple Installation Options.
- Premium Construction.
- Ultimate Wind Resistance.
- Environmental Efficiency.

What's Included

- (1) 39,800 BTU, 500 Series Platinum Gas Heater.
- (1) Pivoting arm bracket for wall mount applications.



PLA500

| Model # | Description |
|------------|---|
| PLA300-LP | LP, 23,600 Btu's, 3 Burner Heater (BH0110002-1) |
| PLA300-NG | NG 23,600 Btu's, 3 Burner Heater (BH0110001-1) |
| PLA500-LP | LP, 39,800 Btu's, 5 Burner Heater (BH0110004-1) |
| PI 4500-NG | NG 39 800 Btu's 5 Burner Heater (BH0110003-1) |

PLATINUM GAS ACCESSORIES

| Model # | Description |
|-------------|--|
| BH3030001-1 | Universal Low Clearance SS Heat Deflector to fit 3 Burner Models |
| BH3030002-1 | Universal Low Clearance SS Heat Deflector to fit 5 Burner Models |
| BH3030003 | Universal Ceiling Mouniting Pole 9.69" to fit either Style |
| BH3030004 | Universal Ceiling Mouniting Pole 13.62" to fit either Style |
| BH3030008 | Universal Ceiling Mount Pole 41.18" to fit either Style |
| BH3030007 | Universal Ceiling Mount Pole 33.31" to fit either Style |

BROMIC TUNGSTEN SMART-HEAT LP PORTABLE HEATER

- Heat Output: With coverage of up to 200ft2, the Tungsten Smart-HeatTM Portable delivers a widespread heat field of up to 13ft wide and 16ft deep
- · Wind Resistance: Specifically built to provide constant and consistant heat in any environment at wind speeds up to 8mph
- Modular Design: Functional and pragmatic, the Tungsten Smart-HeatTM Portable can easily be assembled, dismantled and stored
- Soft Touch Ignite: Battery activated repetitive spark ignition.
- Versatility: Unique and patented adjustable heat control ensures comfortable heat
- · Efficiency: High intensity ceramic burner, delivering optimal heat with minimal heat loss
- · Directional Heat: Innovative adjustable tilting head ensures warmth goes exactly where it is needed.
- Maneuverability: Anti-tilt structure with built-in wheels for easy movement.
- Dimensions 7.1'H x 1.6'W x 2.3'D

| Model # | Description |
|-----------|---|
| TNG-P | LP, 38,500 Btu's, Portable Heater (BH0510001) |
| THG-N | NG, 38,500 Btu's, Portable Heater (BH0510005) |
| BH8280050 | LP to NG Conversion Kit |
| BH3030010 | Head Cover Only |





BH3030010

TNG-P





Bromic Heaters



TUNGSTEN RADIANT GAS HEATERS

Turn up the heat with the Bromic Tungsten Smart-Heat™ Gas Series. This 500 series powerful radiant heater can quickly heat up outdoor areas of up to 215ft2, providing a comfortable, warming red glow all year around. With its stylish matte black design and exceptional wind resistance of up to 8mph, this heater will keep you and your guests warm at any time of the year. Choose between natural gas or propane (LPG) options.

Please Note: For low clearance areas, we recommend a heat deflector to protect the mounting surface. This accessory will also provide improved weather resistance and a more directional heat output.

Features/Benefits

- · Matte Finish Stainless-Steel construction for reliable heating performance and durability.
- Instantaneous ignition, whenever you require it, without the need for a pilot light.
- Pivot Arm Bracket.
- High Performance Mesh Screen.
- Enhanced Safety Features.
- Multiple Installation Options.
- Environmental Efficiency.

What's Included

- (1) 43,000 BTU, 500 Series Tungsten Gas Heater.
- (1) Pivoting arm bracket for wall mount applications.

| Model # | Description | |
|-----------|---|--|
| TNG300-LP | NG, 26,000 Btu's, 3 Burner Heater (BH0210002-1) | |
| TNG300-NG | LP, 26,000 Btu's, 3 Burner Heater (BH0210001-1) | |
| TNG500-LP | LP, 43,000 Btu's, 5 Burner Heater (BH0210004-1) | |
| TNG300-NG | NG, 43,000 Btu's, 5 Burner Heater (BH0210003-1) | |

TUNGSTEN GAS ACCESSORIES

| Model # | Description | |
|-----------|---|--|
| BH3030011 | Universal Low Clearance Black Heat Deflector to fit 3 Burner Models | |
| BH3030012 | Universal Low Clearance Black Heat Deflector to fit 5 Burner Models | |
| BH3030003 | Universal Ceiling Mounting Pole 9.69" to fit either Style | |
| BH3030004 | Universal Ceiling Mounting Pole 13.62" to fit either Style | |
| BH3030007 | Universal Ceiling Mounting Pole 33.31" to fit either Style | |
| BH3030008 | Universal Ceiling Mounting Pole 41.18" to fit either Style | |



TNG30



BH3030011 BH3030003

AMD Direct Heaters



DGR WALL MOUNT AND FREE STANDING GAS HEATER

- 4 Ceramic Burners
- 31,500 btu heat Output
- Stand is E-Coated Mild Steel with Powder Coated Finish
- Electronic Finger Pull with Easy On/Off 9AA battery)
- Head is Stainless Steel (430) with High Temperature Coating

| Model # | Description |
|------------|----------------------------------|
| DGR32WNG | Wall Mounted NG Heater |
| DGR32PLP | Portable LP Gas Heater |
| DGRSHIELD | DGR Low Cleaerance heat Shield |
| DGRPOLE-WM | Ceiling Mount Bracket |
| TGHCOVER | Weather Proof Cover for DGR32PLP |



