

# Gas Fireplaces – Direct Vent Linear



## Echelon II 72

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL72IN-C	72" Fireplace, 58,000 btu - NG	\$10,599.00
LPKECHEL72	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" DVP VENTING (SEE PAGE 455) - TOP VENT ONLY**

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-72-BK-C	Clean Face Trim - Black	\$829.00
CFT-72-NB-C ❖	Clean Face Trim - New Bronze	\$889.00
CFT-72-GM-C ❖	Clean Face Trim - Gun Metal	\$889.00

### Optional Accessories

BGK-72	Reflective Black Ceramic Glass Liner Kit	\$999.00
LOGS-DRTWOOD-72	Driftwood Log Set	\$759.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-WFM	IntelliFire Wi-Fi Module that Works with the IntelliFire ios and Android App. A RC400 or RC150 is Required for Thermostat Control.	\$219.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$179.00

### Heat Management

PH-MCE	Passive Heat Kit for Front, Side or Top Discharge	\$169.00
PH-FRTTRIM-72	Passive Heat Vent Trim for Front Discharge (requires PH-MCE)	\$239.00
PHTRIM-MCE-72 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-72)	\$279.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$111.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$111.00

**Note: If changing media, follow the required number of bags below:**

**Glass media - 7 bags of glass, Natural Stones - 4 bags of stones, Log Set & Stones - 1 bag of stone.**



### ECHEL72IN

**Fireplace Framing Dimensions**  
(see manual before framing)

Height	Width	Depth
48"	84 1/4"	18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

**raymurray.com**



## Echelon II 60

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL60IN-C	60" Fireplace, 50,000 btu - NG	\$8,069.00
LPKECHEL60	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" DVP VENTING (SEE PAGE 455) - TOP VENT ONLY**

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-60-BK-C	Clean Face Trim - Black	\$779.00
CFT-60-NB-C ❖	Clean Face Trim - New Bronze	\$819.00
CFT-60-GM-C ❖	Clean Face Trim - Gun Metal	\$819.00
PFF-60-BK-C ❖	Picture Frame Front - Black	\$956.00

### Optional Accessories

BGK-60	Reflective Black Ceramic Glass Liner Kit	\$849.00
LOGS-DRTWOOD-60	Driftwood Log Set	\$639.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$219.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$179.00

### Heat Management

PH-MCE	Passive Heat Kit for Front, Side or Top Discharge	\$169.00
PH-FRTRIM-60	Passive Heat Vent Trim for Front Discharge (requires PH-MCE)	\$239.00
PHFR-MCE-60 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-PRIMO-60 front trim)	\$739.00
PHTRIM-MCE-60 ❖	Vent Trim for Front Register Passive Heat	\$259.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$169.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$111.00

**Note: If changing media, follow the required number of bags below:**

**Glass media - 6 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.**



## ECHEL60IN

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
48"	72 1/4"	18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



## Echelon II 48

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL48IN-C	48" Fireplace, 40,000 btu - NG	\$5,719.00
LPKECHEL48	NG to LP Conversion Kit	\$99.00

**USES 5" X 8" DVP VENTING (SEE PAGE 455) - TOP VENT ONLY  
FIREPLACE FRAMING DIMENSIONS - 60 1/4" W X 42" H X 18 1/4" D**

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-48-BK-C	Clean Face Trim - Black	\$459.00
CFT-48-NB-C ❖	Clean Face Trim - New Bronze	\$499.00
CFT-48-GM-C ❖	Clean Face Trim - Gun Metal	\$499.00
PPF-48-BK-C ❖	Picture Frame Front - Black	\$839.00

### Optional Accessories

BGK-48	Reflective Black Ceramic Glass Liner Kit	\$799.00
LOGS-DRTWOOD-48	Driftwood Log Set	\$509.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$219.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$179.00

### Heat Management

PH-MCE	Passive Heat Kit for Front, Side or Top Discharge	\$169.00
PH-FRTTRIM-48	Passive Heat Vent Trim for Front Discharge (requires PH-MCE)	\$219.00
PHFR-MCE-48 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-MCE-48 front trim)	\$669.00
PHTRIM-MCE-48 ❖	Vent Trim for Front Register Passive Heat	\$259.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350 cfm Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$169.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$111.00

**Note: If changing media, follow the required number of bags below:**

**Glass media - 4 bags of glass, Natural Stones - 3 bags of stones, Log Set & Stones - 1 bag of stone.**



## ECHEL48IN

### Fireplace Framing Dimensions

(see manual before framing)  
 Height      Width      Depth  
 42"          60 1/4"      18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ – Non Stock Special Order - NO RETURNS or CANCELLATIONS

**RMI Ph: 800-628-5044**

**raymurray.com**

# Gas Fireplaces – Direct Vent Linear



## Echelon II 36

MODEL NUMBER	DESCRIPTION	LIST PRICE
ECHEL36IN-C	36" Fireplace, 30,000 btu - NG	\$4,529.00
LPKECHEL36	NG to LP Conversion Kit	\$99.00

USES 5" X 8" DVP VENTING (SEE PAGE 455) - TOP VENT ONLY

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFT-36-BK-C	Clean Face Trim - Black	\$429.00
CFT-36-NB-C ❖	Clean Face Trim - New Bronze	\$479.00
CFT-36-GM-C ❖	Clean Face Trim - Gun Metal	\$479.00
PFF-36-BK-C ❖	Picture Frame Front - Black	\$739.00

### Optional Accessories

BGK-36	Reflective Black Ceramic Glass Liner Kit	\$669.00
LOGS-DRTWOOD-36	Driftwood Log Set	\$389.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire IOS and Android App. An RC400 or RC500 is required for thermostat control.	\$219.00
BATTERY-WSK	Battery Backup Wall Switch kit	\$179.00

### Heat Management

PH-MCE	Passive Heat Kit for Front, Side or Top Discharge	\$169.00
PH-FRTRIM-36	Passive Heat Vent Trim for Front Discharge (requires PH-MCE)	\$219.00
PHSI-MCE ❖	Ducted Passive Heat for Side Discharge (includes duct and 2 side registers)	\$549.00
PHFR-MCE-36 ❖	Ducted Passive Heat Kit for Front Discharge (requires PHTRIM-MCE-36 front trim)	\$609.00
PHTRIM-MCE-36 ❖	Ducted Vent Trim for Front Discharge Using Ducted Passive Heat (PHFR-MCE-36)	\$239.00
HEAT-OUT-GAS	Heat Out Kit (Includes Termination Cap, 25' of 6" Round Duct, Fireplace Adapter, Damper, Wall Switch and 350CFM Fan at Termination)	\$1,489.00
HEAT-ZONE-GAS	Heat-Zone Kit (Includes: Fan, 20' Of 6" Round Duct, Vent, Wall Adapter and On/Off Control)	\$549.00
HZLIN-ADP	Heat Zone Adapter, Must Order for Using HEAT-ZONE-Gas	\$169.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$111.00

**Note: If changing media, follow the required number of bags below:**

Glass media - 3 bags of glass, Natural Stones - 2 bags of stones, Log Set & Stones - 1 bag of stone.



## ECHEL36IN

### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
42"	48 1/4"	18 1/4"

### Features:

- Clear LED Dimmable Lights
- IntelliFire Touch Ignition System
- Optional Passive Heat
- RC400 Remote Control
- Battery Backup
- Ceramic Glass
- Standard w/ Bronze Glass Media



## Jade 42

### Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

**NOTE: If installing a Passive Heat kit you cannot use a fan.**

**NOTE: If ordering lights or fan, must order IFT-RC400.**

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE42IN-B	42" Fireplace, 25,250 btu - NG	\$3,249.00
JADE42IL-B	42" Fireplace, 25,500 btu - NG	\$3,249.00

**USES 4" X 6 5/8" SLP VENTING (SEE PAGE 454) - TOP VENT ONLY**

### Must Choose a Front to Complete Installation.

#### Fronts - Non-Operable - Required

CFTF-42-BK	Clean Face Trim - Black	\$459.00
CFTF-42-NB ❖	Clean Face Trim - New Bronze	\$519.00
CFTF-42-GM ❖	Clean Face Trim - Gun Metal	\$519.00
PFF-42-BK ❖	Picture Frame Front - Black	\$759.00

### Optional Accessories

GFK-160C	Fan Kit 160 CFM (fan only)	\$259.00
DRTWOOD-JADE	Driftwood Log Set	\$469.00
GLASS-42LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$569.00
LED-LINEAR	LED Accent Lights (must order LED-SWITCH for multi-color selection)	\$369.00

#### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$111.00

**NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:  
GLASS MEDIA - 3 BAGS OF GLASS, NATURAL STONES - 6 BAGS OF STONES, LOG SET & STONES - 1 BAG OF STONES.**



### JADE42

#### Fireplace Framing Dimensions

(see manual before framing)

Height	Width	Depth
32 3/4"	49"	17 3/4"

**Continued on next page**



## Jade 42 - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
<b>Heat Management</b>		
PH-SIDETRIM	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$108.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat)	\$189.00
PH-FRTRIM-42	Passive Heat Vent Trim Kit for Front Discharge, 42"	\$199.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,489.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$549.00
<b>Controls</b>		
BATTERY-WSK	Battery Backup Wall Switch Kit for Units with IFT Control Systems. Includes - On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$179.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the Intellifire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$219.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM )	\$96.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$379.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$136.00

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.



## Jade 32

### Features:

- IntelliFire Touch Ignition System
- Bronze Glass Media
- Tempered Glass

**NOTE: If installing a Passive Heat kit you cannot use a fan.**

**NOTE: If installing a SmartWall kit you cannot use a power vent or fan**

**NOTE: If ordering lights or fan, must order IFT-RC400**

MODEL NUMBER	DESCRIPTION	LIST PRICE
JADE32IN-B	32" Fireplace, 19,000 btu - NG	\$2,639.00
LPK-32LINEAR	LP Conversion Kit	\$99.00

**USES 4" X 6 5/8" SLP VENTING (SEE PAGE 454) - TOP VENT ONLY**

**Must Choose a Front to Complete Installation.**

### Fronts - Non-Operable - Required

CFTF-32-BK	Clean Face Trim - Black	\$429.00
CFTF-32-NB ❖	Clean Face Trim - New Bronze	\$499.00
CFTF-32-GM ❖	Clean Face Trim - Gun Metal	\$499.00
PFF-32-BK ❖	Picture Frame Front - Black	\$739.00

### Optional Accessories

GFK-160C	Fan Kit 160 CFM (fan only)	\$259.00
DRTWOOD-JADE	Driftwood Log Set	\$469.00
GLASS-32LINEAR	Fade-Resistant Reflective Black Glass Interior Panels	\$569.00
LED-LINEAR	LED Accent Lights (must order LED-SWITCH for multi-color selection)	\$369.00

### Media

GLASS-BZ	Bronze Glass (Comes Standard w/ Unit) (3 lbs.)	\$71.00
GLASS-SP	Sapphire Glass (3 lbs.)	\$71.00
GLASS-OY	Onyx Glass (3 lbs.)	\$71.00
GLASS-DM	Diamond Glass (3 lbs.)	\$71.00
STONES-NATURAL	Natural Stones	\$111.00

**NOTE: IF CHANGING MEDIA, FOLLOW THE REQUIRED NUMBER OF BAGS BELOW:  
GLASS MEDIA - 2 BAGS OF GLASS, NATURAL STONES - 4 BAGS OF STONES, LOG SET &  
STONES - 1/2 BAG OF STONES.**



## JADE32

**Fireplace Framing Dimensions**  
(see manual before framing)

Height	Width	Depth
36 1/2"	37"	17 3/4"

**Continued on next page**



## Jade 32 - Cont.

MODEL NUMBER	DESCRIPTION	LIST PRICE
<b>Heat Management</b>		
PH-SIDETRIM	Passive Heat Kit for Side Discharge (includes 2 side registers)	\$108.00
PH-FRTRIM-32	Passive Heat Vent Trim Kit for Front Discharge, 32"	\$146.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat - for use with front, side, top discharges)	\$189.00
HEAT-OUT-GAS	Heat Out Kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)	\$1,489.00
HEAT-ZONE GAS	Heat-Zone Kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control)	\$549.00
<b>Controls</b>		
BATTERY-WSK	Battery Backup Wall Switch Kit for Units with IFT Control Systems. Includes - On/Off Wall Switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness	\$179.00
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire IOS and Android App. Use to control all the features of your fireplace via a smart device. An RC400 or RC500 is required for thermostat control.	\$219.00
IFT-ACM	IntelliFire Touch Aux Module. Must Order if Adding Fan, Lights or Power Vent and Want to Use the IFT-WFM. Do Not Need to Order if Using IFT-RC400 (includes IFT-ACM )	\$96.00
IFT-RC150	IntelliFire Touch White Wireless Wall Switch (on/off, cold climate, battery strength indicator)	\$116.00
IFT-RC400	IntelliFire Touch Black Remote Control, Docking Station and Auxiliary Control Module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)	\$379.00
LED-SWITCH	3 Toggle Wall Switch for Multi-Color Selection	\$136.00

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.





## DV Linear 36

### Features:

- IntelliFire Ignition System
- Onyx Media
- Tempered Glass
- Black Firescreen
- Battery Backup

MODEL NUMBER	DESCRIPTION	LIST PRICE
DVLINEAR36	36" Fireplace, 16,500 btu - NG	\$2,279.00
LPK-DVLIN36	NG to LP Conversion Kit	\$99.00

**USES 4" X 6 5/8" SLP VENTING (SEE PAGE 454) - TOP VENT ONLY**

### Optional Accessories

CFTF-36-BK ❖	Clean Face Trim - Black	\$449.00
--------------	-------------------------	----------

### Controls

RCT-MLT-MAJ	IP Remote Control (on/off, fan speed, flame control, temperature readout, thermostat mode, timer mode)	\$399.00
SMART-STAT-MAJ	Remote Control - IPI or SP (on/off, temperature readout, thermostat mode, timer mode)	\$289.00
PH-SIDETRIM	Passive Heat for Side Discharge (includes 2 side registers) (starting collars sold separately)	\$108.00
PH-FRTTRIM-36	Passive Heat Vent Trim Kit for Front Discharge (36") (starting collars sold separately)	\$189.00
PH-LINEAR	Starting Collars for Non-Ducted Passive Heat (required when using passive heat - for use with front, side, top discharges)	\$189.00



### DVLINEAR36

#### Fireplace Framing Dimensions (see manual before framing)

Height	Width	Depth
32 3/4"	42"	17 3/4"

**SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.**

Pricing, model numbers and availability are subject to change without notice. Call for most current information.