

Distinction Series - D7215ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- · Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- · Invisimesh Screen
- Includes 15 lbs. of Ice Fireglass (HW1157)

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|--|-------------|
| D7215STNI-2 | 72" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 57,000 btu - NG | \$16,467.00 |
| GCA013 | NG to LP Conversion Kit | \$142.00 |



Optional Accessories

| RR450SS | Designer Speckled Stones | \$767.00 |
|-----------|---|----------|
| LGS59* | Driftwood Log Set, 1 of 3 | \$278.00 |
| LGS58* | Driftwood Log Set, 2 of 3 | \$339.00 |
| LGS57* | Driftwood Log Set, 3 of 3 | \$287.00 |
| DBKAFST ❖ | Ash Fluted Liner | \$87.00 |
| DBKTFST � | Tuscan Fluted Liner | \$87.00 |
| DLT72 | 1" Adjustable Trim Kit - up to 11/16" deep facing materials | \$205.00 |
| DLT72-2 | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$229.00 |
| REC1550 | Wall Mounted ProFlame 2 Remote | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi Phone App Control | \$240.00 |
| GR72** | 72" Wall Cavity Venting Louver | \$147.00 |

*INSTALLATION REQUIRES ALL THREE LOG SETS

Cool Wall Advantage Accessories

| HDKPD72 | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK) | \$1,147.00 |
|---------|--|------------|
| HDKSD | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKSVD | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKPDFK | Cool Wall Flex Kit - 5" x 24' | \$199.00 |

Must Use Adapter to Vent Unit w/ DuraVent Pipe

| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|



D7215ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 59 3/8" 95 3/4" 17 11/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Distinction Series - D6315ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- Invisimesh Screen
- Includes 12 lbs. of Ice Fireglass (HW1157)

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|--|-------------|
| D6315STNI-2 | 63" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 50,000 btu - NG | \$14,903.00 |
| GCA009 | NG to LP Conversion Kit | \$146.00 |



Optional Accessories

| RR450SS | Designer Speckled Stones | \$767.00 |
|-------------|---|----------|
| LGS58* | Driftwood Log Set, 1 of 2 | \$339.00 |
| LGS59* | Driftwood Log Set, 2 of 2 | \$278.00 |
| DBK63AFST ❖ | Ash Fluted Liner | \$102.00 |
| DBK63TFST ❖ | Tuscan Fluted Liner | \$102.00 |
| DLT63 | 1" Adjustable Trim Kit - up to 11/16" deep facing materials | \$191.00 |
| DLT63-2 | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$205.00 |
| REC1550 | Wall Mounted ProFlame 2 Remote | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi Phone App Control | \$240.00 |
| GR63** | 63" Wall Cavity Venting Louver | \$131.00 |

^{*}INSTALLATION REQUIRES BOTH LOG SETS

Cool Wall Advantage Accessories

| 3 | | |
|----------|--|------------|
| HDKPD63 | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK) | \$1,018.00 |
| HDKSD | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKSVD | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKPDFK | Cool Wall Flex Kit - 5" x 24' | \$199.00 |

Must Use Adapter to Vent Unit w/ DuraVent Pipe

| _ | _ | |
|-------------|--------------------------|----------|
| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |



D6315ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 50 3/8" 79 1/2" 18 7/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Distinction Series - D4815ST See Through

Features:

- · Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- · Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- · Invisimesh Screen
- Includes 9 lbs. of Ice Fireglass (HW1157)

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|--|------------|
| D4815STNI-2 | 48" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 40,000 btu - NG | \$7,871.00 |
| GCA017 | NG to LP Conversion Kit | \$146.00 |

USES 5"X8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

| RR200SS | Designer Speckled Stones | \$346.00 |
|-----------|---|----------|
| LGS57* | Driftwood Log Set, 1 of 3 | \$287.00 |
| LGS59* | Driftwood Log Set, 2 of 3 | \$278.00 |
| LGS61* | Driftwood Log Set, 3 of 3 | \$220.00 |
| DBKAFST � | Ash Fluted Liner | \$87.00 |
| DBKTFST ❖ | Tuscan Fluted Liner | \$87.00 |
| DLT48 | 1" Adjustable Trim Kit - up to 11/16" deep facing materials | \$161.00 |
| DLT48-2 | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$176.00 |
| PVA5487 | 10" Reducer. 5/8" to 4/7" | \$124.00 |
| REC1550 | Wall Mounted ProFlame 2 Remote | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi Phone App Control | \$240.00 |
| GR48** | 48" Wall Cavity Venting Louver | \$102.00 |

^{*}INSTALLATION REQUIRES ALL LOG SETS

Cool Wall Advantage Accessories

| HDKPD48 | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK) | \$728.00 |
|---------|--|----------|
| HDKSD | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKSVD | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKPDFK | Cool Wall Flex Kit - 5" x 24' | \$199.00 |

Must Use Adapter to Vent Unit w/ DuraVent Pipe

| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|
|-------------|--------------------------|----------|



D4815ST

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 50" 71 3/4" 17 11/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Distinction Series - D3615ST See Through

Features:

- Ceramic Glass Door
- Turn Down Gas Valve with Steppermotor
- Full Feature Proflame 2 Remote Control
- Ceramic Glass Reflective Liner, Multi-Color LED Lighting
- · Invisimesh Screen
- Includes 6 lbs. of Ice Fireglass (HW1157)

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|--|------------|
| D3615STNI-2 | 36" Fully Loaded See Through Linear Direct Vent Fireplace, IPI, 35,000 btu - NG | \$6,269.00 |
| GCA015 | NG to LP Conversion Kit | \$146.00 |

USES 5"X8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

Optional Accessories

| RR150SS | Designer Speckled Stones | \$238.00 |
|-----------------|---|----------|
| LGS59* | Driftwood Log Set, 1 of 2 | \$278.00 |
| LGS60* | Driftwood Log Set, 2 of 2 | \$305.00 |
| DBKAFST � | Ash Fluted Liner | \$87.00 |
| DBKTFST ❖ | Tuscan Fluted Liner | \$87.00 |
| DLT36 | 1" Adjustable Trim Kit - up to 11/16" deep facing materials | \$138.00 |
| DLT36-2 | 1" Adjustable Trim Kit Extra Deep - for 1 1/2" - 2" deep facing materials | \$150.00 |
| PVA5487 | 10" Reducer, 5/8" to 4/7" | \$124.00 |
| REC1550 | Wall Mounted ProFlame 2 Remote | \$326.00 |
| SIT-WIFI | Proflame 2 WiFi Phone App Control | \$240.00 |
| GR36** * | 36" Wall Cavity Venting Louver | \$75.00 |

*INSTALLATION REQUIRES BOTH LOG SETS

Cool Wall Advantage Accessories

| HDKPD36 | Cool Wall Kit, Includes: louver, plenum, collars (requires HDKPDFK) | \$558.00 |
|-----------|--|----------|
| HDKSD | Cool Wall Advantage Side Discharge Kit, Horizontal, Includes: 2 louvers, 2 plenums (requires HDKPDFK) | \$428.00 |
| HDKSVD | Cool Wall Advantage Side Discharge Kit, Vertical, Includes: 2 louvers, 2 plenums (requires HDKPDFK-1) | \$428.00 |
| HDKPDFK-1 | Cool Wall Flex Kit - 5" x 12' | \$97.00 |

Must Use Adapter to Vent Unit w/ Duravent

| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|
|-------------|--------------------------|----------|



D3615STNI-2

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 49 15/16" 59 3/4" 17 11/16"

^{**}STANDALONE VENTING LOUVER USED TO VENT A WALL CAVITY ABOVE A FIREPLACE



Divine Series - See Through

Features:

- · Clean Face Design
- Black Square Doors with Tempered Glass
- Power Vent Compatible (PVA5487 required)
- · Fiber Logset
- · Heritage Fiber Brick Lining
- · Iron Grate

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|--|------------|
| H42FSDNI | 42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - NG | \$6,159.00 |
| H42FSDLI | 42" See Through Fireplace, ProFlame 2 IPI, 37,000 BTU - LP | \$6,159.00 |

USES 5"X8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY

H42FSD

H42 Fireplace Framing Dimensions (see manual before framing)

H38 Fireplace Framing Dimensions (see manual before framing)

Width

40 3/4"

Depth

23 3/4"

Height

42 1/2"

Height Width Depth 49 1/2" 45" 24"

H42 Optional Accessories

| H42SFPSB | Satin Black Surround - 2 required to finish both sides | \$839.00 |
|------------|--|------------|
| H42SFPSS ❖ | SS Surround - 2 required to finish both sides | \$1,265.00 |

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|---|------------|
| H38FSDNI | 38" See Through Fireplace, ProFlame 2 IPI, 34,000 BTU - NG | \$5,049.00 |
| H38FSDLI | 38" See Through Fireplace,ProFlame 2 IPI, 32,000 BTU - LP | \$5,049.00 |

USES 5"X8" MONTIGO VENTING (SEE PAGE 461) OR 5"X8" DURAVENT W/ PURCHASE OF ADAPTER OR POWER VENT COMPATIBLE - TOP VENT ONLY.

H38 Optional Accessories

| H38SFPSB | Satin Black Decorative Surround - 2 required to finish both sides | \$747.00 |
|------------|---|------------|
| H38SFPSS ❖ | SS Decorative Surround - 2 required to finish both sides | \$1,192.00 |

SIT IPI ProFlame 2 System Only Controls

| HFK50R | Fan Kit - Requires RX100 or PF2RK | \$453.00 |
|---------|--|----------|
| PF2RK | Wireless Remote Control Kit - (on/off, thermostatic control, manual override switch, emergency back-up) | \$416.00 |
| AF40BP | Emergency Battery Back-Up | \$26.00 |
| REC1550 | Wall Mounted ProFlame 2 Remote | \$326.00 |
| RX100NG | Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - NG | \$552.00 |
| RX100LP | Wireless Full Function Remote Control Kit - (on/off, thermostatic control, manual override switch, flame modulation, emergency battery back-up) - LP | \$552.00 |

Must Use Adapter to Vent Unit w/ DuraVent Pipe

| 58DVA-AD-M1 | 5" x 8" DuraVent Adapter | \$109.73 |
|-------------|--------------------------|----------|
|-------------|--------------------------|----------|

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.



Exemplar Series - Indoor / Outdoor

Features:

- Indoor-Outdoor Designated Design
- Tempered Glass Door
- Door Screens
- Outside Glass with Sealing Frame
- · Built-In Downdraft Power Vent System that Requires No Venting
- Built-In Power Vent Control Box
- 7 Bags of Ice Fireglass (HW1157) Included

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|---|-------------|
| R324STION | See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - NG | \$10,702.00 |
| R324STIOL ❖ | See Through Indoor-Outdoor Fireplace with Linear Burner, Hot Surface Ignition, 50,000 btu - LP | \$10,702.00 |

R324 Optional Accessories

| RR600SS | Designer Speckled Stones | \$1,014.00 |
|----------|---|------------|
| LGRP6N | Driftwood Log Set - NG | \$1,087.00 |
| LGRP6L ❖ | Driftwood Log Set - LP | \$853.00 |
| RXM40VAC | Wireless Remote Control Kit - On/Off Only | \$339.00 |



R324STIO

Fireplace Framing Dimensions (see manual before framing) Height Width Depth 48" 49" See Manual