Wood EPA Fireplaces



Montecito Estate

Features:

- Powerful Catalytic Combustion
- Insulation
- · Ceramic Glass
- 350 CFM Blower
- Textured White Stacked Refractory
- Cast Iron Log Retainer
- · Efficient Air Wash System
- · Outside Air Kit and Coupler are Standard
- Meets 2020 Standards



MONTECITO ESTATE

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F2845	MONTECITO ESTATE CAT	Montecito Estate EPA Wood Burning Fireplace	\$9,349.00

USES 7" SNAP-PAK VENTING (SEE PAGE 453). FIREPLACE FRAMING DIMENSIONS - SEE OWNER'S MANUAL.

Must Order Facade and Door to Complete Installation.

Facade - Re	Facade - Required			
F2859	MONEST-FAC-BLK	Facade - Black	\$909.00	
F3611	MONEST-FAC-HMRD ❖	Facade - Hammered Steel	\$2,674.00	

Door - Req	Door - Required			
F2855 MONEST-DOOR-BLK		Double Door - Black	\$1,604.00	
F3612	MONEST-DOOR-HMRD �	Double Door - Hammered Steel	\$2,674.00	

Optional Accessories

Forced Air Heating Kit

Installed on the Side of the Fireplace - Use of the Forced Air Kit is Not Included in EPA testing, therefore cannot be sold as EPA certified.

BISFWK-1	BISFWK-1	Starter Kit for Wall or Floor Installations	\$962.00
5FLEX15	5FLEX15 ❖	Flex 5" I.D. x 15' Long	\$267.00
5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$438.00



Montecito

Features:

- · Non-Catalytic Combustion
- Insulated Firebox Top and Sides
- Decorative Cast Iron Log Retainer
- Efficient Air Wash System
- Double Air Combustion Control (all in one)
- Heat Activated Factory Installed 200 CFM Blower

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F4481	MONTE-B	Montecito EPA Wood Fireplace with White Stacked Refractory	\$5,249.00

USES 6" SNAP-PAK VENTING (SEE PAGE 452).

Must Order Facade and Door to Complete Installation.

Facades - R	Facades - Required			
F2320	MFBK	Facade - Black	\$641.00	
F3609	MONT-FAC-HMRD �	Facade - Hammered Steel	\$2,460.00	

Doors - Req	Doors - Required			
F1849	BTCECBK	Black Smooth Steel Arched Door	\$1,283.00	
F3610	MONT-DOOR-HMRD ❖	Black Hammered Steel Arched Door	\$2,460.00	
F1859	BWBK	Cast Iron Door - Black	\$1,283.00	

Optional Accessories

-			
F3790	EPA-HEATFLO-KIT	EPA Fireplace HeatFlo Convection Kit	\$641.00
BISFWK-1	BISFWK-1*	Starter Kit for Wall or Floor Installations	\$962.00
5FLEX15	5FLEX15 ❖	Flex 5" I.D. x 15' Long	\$267.00
5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$438.00

^{*}Forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.



MONTE-B

Firebox Framing Dimensions (see manual before framing) Height Width Depth 56" 37 1/4" 25 1/8"



Bainbridge

Features:

- · Insulated Firebox Top and Sides
- · Steel Log Retainer
- Smooth Refractories
- Efficient Air Wash System
- Outside Air Adapter
- · Outside Air Kit
- · Heat Activated Installed 200 cfm Blower
- Double Air Combustion Control

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F4778	BAINBRIDGE	Bainbridge EPA Wood Burning Fireplace with White Smooth Liner	\$5,099.00



Must Order Facade and Door to Complete Installation.

Facades -	Facades - Required			
F4781	FLVAOBLK �	Black Louvered Arch Open Facade	\$534.00	
F4782	FCFSOBLK	Black Clean Face Square Open Facade - (F3790 Heatflo Kit required)	\$427.00	
F4783	FLVSOBLK	Black Square Open Louvered Facade	\$534.00	

Doors - Re	Doors - Required			
F4780	DSSPBLK	Black Steel Square Pane Door	\$1,337.00	
F1849	BTCECBK	Black Smooth Steel Arched Door	\$1,283.00	
F3610	MONT-DOOR-HMRD ❖	Black Hammered Steel Arched Door	\$2,460.00	
F1859	BWBK	Black Cast Iron Door	\$1,283.00	

Optional Accessories

F3790	EPA-HEATFLO-KIT	EPA Fireplace HeatFlo Connection Kit: 2 Aluminum Flex w/R4 Insulated Sleeve 8" Dia. X 10', 2 Wall Thimbles, 2 Duct Adapters, 2 Duct Rings, 2 White Grills and Screws	\$641.00
BISFWK-1	BISFWK-1*	Forced Air Heating Kit for Wall or Floor Installation. Includes Blower (BISZY), flex Adapter, 2 clamps (BISAF), blower variable speed control (VRUW), thermo- disc (VTU), blower flex Adapter (BISAVF) and back draft damper (BISBD)	\$962.00
5FLEX15	5FLEX15 ❖	Flex 5" I.D. x 15' Long	\$267.00
5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$438.00

^{*}Forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.



Bainbridge

Minimum Firebox Dimensions (see manual before framing) Height Width Depth 56" 37 1/4" 25 1/8"



Ladera

Features:

- High Efficiency EPA Certified Non-Catalytic Combustion-Controlled Wood Burner
- Insulated Firebox Top and Sides
- Heavy Duty Black Steel Door
- Efficient Air Wash System
- White Stacked Textured Refractory
- Cast Iron Log Retainers
- 175 cfm Blower
- · Outside Air Kit and an Outside Air Coupler

MAT.#	MODEL NUMBER	DESCRIPTION	LIST PRICE
F4808	LADERA-D	Ladera EPA Clean-Faced Wood Fireplace with White Stacked Refractory	\$5,249.00

USES 6" SNAP-PAK VENTING (SEE PAGE 452).

Optional Accessories

	F4837	PTK-BLK	Black Perimiter Trim Kit	\$427.00
	H7303	CSK ❖	Cast Surround Kit	\$3,530.00
	BISFWK-1	BISFWK-1*	Forced Air Heating Kit for Wall or Floor Installation. Includes Blower (BISZY), flex Adapter, 2 clamps (BISAF), blower variable speed control (VRUW), thermo- disc (VTU), blower flex Adapter (BISAVF) and back draft damper (BISBD)	\$962.00
	5FLEX15	5FLEX15 ❖	Flex 5" I.D. x 15' Long	\$267.00
	5FLEX25	5FLEX25 ❖	Flex 5" I.D. x 25' Long	\$438.00

^{*}Forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.



Ladera

Minimum Firebox Dimensions (see manual before framing) Height Width Depth 37 3/4" 36" 22"