

MONTLAKE™ 300

Features:

- Up to 100,000 btu and Heats Up To 3,000 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 3.0 cu ft Firebox
- TFT™ (Thermal Fin Technology) To Add More Heat To Your Home
- Airwash System
- Blower Included

| MAT.# | MODEL NUMBER | DESCRIPTION | LIST PRICE |
|-------|--------------|-------------|------------|
| F3834 | ML300GL | Wood Insert | \$5,039.00 |

USES 6" VENTING.

Must Choose Top and Surround Panels to Complete Installation.

Top - Required

| | | | |
|-------|--------------------|---------------|----------|
| F2028 | TOP-STEEL-ML300 | Steel Top | \$374.00 |
| F2029 | TOP-CASTIRON-ML300 | Cast Iron Top | \$374.00 |

Surround Panels- Required

| | | | |
|-------|------------------|---|----------|
| F2021 | ML300-FP2942 | 29 1/2" x 42 1/2" Black Surround/Flashing | \$374.00 |
| F2022 | ML300-FP2949 | 29" x 49 1/2" Black Surround/Flashing | \$374.00 |
| F2023 | ML300-FP3342 | 33" x 42 1/2" Black Surround/Flashing | \$374.00 |
| F2024 | ML300-FP3349 | 33" x 49 1/2" Black Surround/Flashing | \$374.00 |
| F2025 | ML300-FPTRIM3450 | 34" x 50" Black, Trimmable Surround | \$349.00 |

Optional Accessories

| | | | |
|-------|-------------------|---|----------|
| UZIAD | UZIAD | 4" Flex Adapter | \$74.00 |
| UZI | UZI | Outside Air Kit (4" I.D. x 10' Long Insulated Flex) | \$128.00 |
| H8346 | DRTRM-GV-ML-NKL ❖ | Face Plate - Nickel | \$192.00 |
| H8347 | DRTRM-GV-ML-BRNKL | Face Plate - Brushed Nickel | \$192.00 |
| H9138 | LVR-ML-BRNKL ❖ | Louver - Brushed Nickel (For Cast Iron Top Only) | \$160.00 |



ML300GL

Minimum Fireplace Opening Dimensions

(Masonry Fireplace)
(see manual before framing)
29 1/2" W x 23 1/2" H x 16 1/2" D
x 27 1/4" RW

(ZC Fireplace)
(see manual before framing)
36" W x 23 1/2" H x 16 1/2" D
x 26 1/4" RW

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

MONTLAKE™ 230

Features:

- Up to 76,000 btu and Heats Up To 2,200 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 2.3 cu ft Firebox
- TFT™ (Thermal Fin Technology) To Add More Heat To Your Home
- Airwash System
- Blower Included

| MAT.# | MODEL NUMBER | DESCRIPTION | LIST PRICE |
|-------|--------------|-------------|------------|
| F3832 | ML230GL | Wood Insert | \$3,989.00 |

USES 6" VENTING.

Must Choose Top and Surround Panels to Complete Installation.

Top - Required

| | | | |
|-------|--------------------|---------------|----------|
| H8673 | TOP-STEEL-ML230 | Steel Top | \$267.00 |
| H8674 | TOP-CASTIRON-ML230 | Cast Iron Top | \$267.00 |

Surround Panels- Required

| | | | |
|-------|------------------|---------------------------------------|----------|
| H8677 | ML230-FP2641 | 26 1/2" x 41" Black Surround/Flashing | \$320.00 |
| H8678 | ML230-FP2648 | 26 1/2" x 48" Black Surround/Flashing | \$320.00 |
| H8679 | ML230-FP3141 | 31" x 41" Black Surround/Flashing | \$320.00 |
| H8680 | ML230-FP3148 | 31" x 48" Black Surround/Flashing | \$320.00 |
| H8681 | ML230-FPTRIM3348 | 33" x 48" Black Trimmable Surround | \$320.00 |

Optional Accessories

| | | | |
|-------|-------------------|---|----------|
| UZIAD | UZIAD | 4" Flex Adapter | \$74.00 |
| UZI | UZI | Outside Air Kit (4" I.D. x 10' Long Insulated Flex) | \$128.00 |
| H8346 | DRTRM-GV-ML-NKL ❖ | Face Plate - Nickel | \$192.00 |
| H8347 | DRTRM-GV-ML-BRNKL | Face Plate - Brushed Nickel | \$192.00 |
| H9138 | LVR-ML-BRNKL ❖ | Louver - Brushed Nickel (For Cast Iron Top Only) | \$160.00 |



ML230GL

Minimum Fireplace Opening Dimensions
(Masonry Fireplace)
(see manual before framing)
25" W x 21 1/2" H x 15 1/2" D

Minimum Fireplace Opening Dimensions
(ZC Fireplace)
(see manual before framing)
36" W x 21 1/2" H x 15 1/2" D

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

PERFORMER™

Features:

- Up to 76,000 btu and Heats Up To 1,800 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 2.10 cu ft Firebox
- Airwash System

| MAT.# | MODEL NUMBER | DESCRIPTION | LIST PRICE |
|-------|--------------|---------------------------------------|------------|
| F4163 | C210TGL | Wood Insert w/ Traditional Black Door | \$3,679.00 |
| F4162 | C210AGL | Wood Insert w/ Arched Black Door | \$3,679.00 |

USES 6" VENTING.

Must Choose Surround Panels (Top & Sides) to Complete Installation.

Surround Panels - Required (Order 1 Top and 1 Side)

| | | | |
|-------|----------------|--|----------|
| 71038 | WFPT0740-L | Top Surround 7 1/2" X 40", Overall Surround 26 1/2" x 40" | \$160.00 |
| 71033 | WFPS0718 | Side Surrounds 7 1/2" x 18 3/4", Overall Surround 26 1/2" x 40" | \$160.00 |
| F4928 | WFPOP2640-C210 | One Piece Surround Panel, 26 1/2" x 40" | \$299.00 |
| 71039 | WFPT0748-L | Top Surround 7 1/2" x 48", Overall Surround 26 1/2" x 48" | \$160.00 |
| 71034 | WFPS1118 | Side Surrounds 11 1/2" x 18 3/4", Overall Surround 26 1/2" x 48" | \$160.00 |
| 71040 | WFPT1140-L | Top Surround 11 1/2" x 40", Overall Surround 30 1/2" x 40" | \$160.00 |
| 71033 | WFPS0718 | Side Surrounds 7 1/2" x 18 3/4", Overall Surround 30 1/2" x 40" | \$160.00 |
| 71041 | WFPT1148-L | Top Surround 11 1/2" x 48", Overall Surround 30 1/2" x 48" | \$160.00 |
| 71034 | WFPS1118 | Side Surrounds 11 1/2" x 18 3/4", Overall Surround 30 1/2" x 48" | \$160.00 |

Optional Accessories

| | | | |
|-------|--------------------|-------------------------------------|----------|
| H7907 | WSINS-BLWR-B-SS | Blower - Black | \$649.00 |
| H7909 | WSINS-BLWR-N-SS ❖ | Blower - Nickel | \$849.00 |
| H7910 | WSINS-BLWR-BN-SS ❖ | Blower - Brushed Nickel | \$849.00 |
| H6832 | OFFADJFLUEBX6SM ❖ | 6" Offset Vent Box 0"-6 1/4" Adj | \$299.00 |
| H6833 | OFFADJFLUEBX6LG ❖ | 6" Offset Vent Box 6"-12" Adj | \$349.00 |
| 71161 | WINS-6FC | 6" Positive Flue Connector Ring Kit | \$79.00 |

NOTE: ALL BLOWERS INCLUDE A SNAP SWITCH FOR THERMAL ACTIVATION.



C210TGL

Minimum Fireplace Opening Dimensions

(Masonry Fireplace)
(see manual before framing)
26" W x 19 1/4" H x 12 1/2" D

Minimum Fireplace Opening Dimensions

(ZC Fireplace)
(see manual before framing)
36" W x 21" H x 12 3/4" D

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

STRIKER™

Features:

- Up to 68,000 btu and Heats Up To 1,300 sq ft
- GreenLine, GL, Models Have Been Certified to Meet the NSPS 2020 Requirements
- 1.6 cu ft Firebox
- Airwash System

| MAT.# | MODEL NUMBER | DESCRIPTION | LIST PRICE |
|-------|--------------|---------------------------------------|------------|
| F4016 | C160TGL | Wood Insert w/ Traditional Black Door | \$2,839.00 |
| F4015 | C160AGL ❖ | Wood Insert w/ Arched Black Door | \$2,839.00 |

USES 6" VENTING.

Must Choose Surround Panels (Top & Sides) to Complete Installation.

Surround Panels - Required (Order 1 Top and 1 Side)

| | | | |
|-------|----------------|--|----------|
| 71042 | WFPT0740-S ❖ | Top Surround 7 1/2" X 40", Overall Surround 26 1/2" x 40" | \$160.00 |
| 71035 | WFPS0819 | Side Surrounds 8 3/8" x 19", Overall Surround 26 1/2" x 40" | \$160.00 |
| F4927 | WFPOP2640-C160 | One Piece Surround Panel, 26 1/2" x 40" | \$299.00 |
| 71043 | WFPT0748-S ❖ | Top Surround 7 1/2" x 48", Overall Surround 26 1/2" x 48" | \$160.00 |
| 71036 | WFPS1219 ❖ | Side Surrounds 12 3/8" x 19", Overall Surround 26 1/2" x 48" | \$160.00 |
| 71044 | WFPT1140-S | Top Surround 11 1/2" x 40", Overall Surround 30 1/2" x 40" | \$160.00 |
| 71035 | WFPS0819 | Side Surrounds 8 3/8" x 19", Overall Surround 30 1/2" x 40" | \$160.00 |
| 71045 | WFPT1148-S ❖ | Top Surround 11 1/2" x 48", Overall Surround 30 1/2" x 48" | \$160.00 |
| 71036 | WFPS1219 ❖ | Side Surrounds 12 3/8" x 19", Overall Surround 30 1/2" x 48" | \$160.00 |

Optional Accessories

| | | | |
|-------|--------------------|-------------------------------------|----------|
| H7907 | WSINS-BLWR-B-SS | Blower - Black | \$695.00 |
| H7909 | WSINS-BLWR-N-SS ❖ | Blower - Nickel | \$909.00 |
| H7910 | WSINS-BLWR-BN-SS ❖ | Blower - Brushed Nickel | \$909.00 |
| H6832 | OFFADJFLUEBX6SM ❖ | Offset Vent Box 0" - 6 1/4" Adj | \$320.00 |
| H6833 | OFFADJFLUEBX6LG ❖ | Offset Vent Box 6" - 12" Adj | \$374.00 |
| 71161 | WINS-6FC | 6" Positive Flue Connector Ring Kit | \$85.00 |

NOTE: ALL BLOWERS INCLUDE A SNAP SWITCH FOR THERMAL ACTIVATION.



C160AGL

Minimum Fireplace Opening Dimensions
(Masonry Fireplace)
(see manual before framing)
25 1/2" W x 19 1/2" H x 12 3/4" D

Minimum Fireplace Opening Dimensions
(ZC Fireplace)
(see manual before framing)
36" W x 21" H x 12 3/4" D

SOME BRANDS ARE ONLY AVAILABLE IN SELECTED AREAS, CONTACT YOUR REGIONAL SALES MANAGER FOR MORE INFO.

Pricing, model numbers and availability are subject to change without notice. Call for most current information.

❖ - Non Stock Special Order - NO RETURNS or CANCELLATIONS

RMI Ph: 800-628-5044

raymurray.com

305