USA | 2024

PRICE LIST



Stove Builder International inc. (SBI)

250, de Copenhague St-Augustin-de-Desmaures (Quebec) Canada G3A 2H3

Customer service

Phone: 844-344-3071 Fax: 1-888-355-5067

E-mail: sac@sbi-international.com

www.valcourtinc.com



GENERAL POLICIES

PURCHASE ORDERS MUST BE SENT BY <u>FAX</u>: 888-676-4413, or <u>EMAIL</u>: orders@sbi-international.com

YOU NEED INFORMATION ABOUT YOUR ORDER?

Contact our customer service team at 1-844-344-3071 and follow the instructions.

By email at sac@sbi-international.com

YOU NEED TECHNICAL ADVICE?

Contact our technical support team at 1-877-356-6663 and follow the instructions.

By email at tech@sbi-international.com

ORDER CANCELLATION

SBI will charge a fee of 8% for the cancellation of any order with a value greater than \$2,000. This fee will be increased to 15% if the cancellation occurs withing 2 weeks of the expected ship date. Returns of merchandise must be authorized.

CHANGES TO THE PRICE LIST

SBI reserves the right, without notice, to make changes to the price lists during the year (addition, withdrawal, price change, etc.). It is the customer's responsibility to always download the most up-to-date price list from the customer portal.

FUEL SURCHARGE

In the case of a crisis in the oil products industry, a fuel surcharge per stove or insert will be applied according to the following table if the recommended fuel surcharge as published by the Freight Carriers Association of Canada is above 50% for truckloads or containers under 55,000 lb (25,000 kg).

FCA PUBLISHED SURCHARGE	TRANSPORT SURCHARGE IN \$/STOVE
< 50%	N/A
50% to 54.9%	\$4.00
55% to 59.9%	\$6.00
60% to 64.9%	\$8.00
65% to 69.9%	\$10.00
70% to 74.9%	\$12.00
75% to 79.9%	\$14.00
80% and more	\$16.00

The fuel surcharge will only be applicable to customers whose prices may include prepaid freight or who benefit from fixed freight rate brackets. The fuel surcharge invoiced by SBI is calculated at the date of shipment. In addition, the fuel surcharge will be applicable if the FCA published surcharge remains higher than 50% for at least 2 weeks. Should this occur, the surcharge applied by SBI will be in effect for a minimum period of 2 weeks. The goal of the surcharge is to make commerce viable between SBI and its customers would a crisis occur.

NORTH AMERICAN PREPAID & CHARGE FREIGHT POLICIES FOR PARTS AND ACCESSORIES

All part and accessories are shipped collect on the customer's courier account (UPS, Fedex, Puro, etc.). If the customer does not have a courier account, parts can be shipped "prepaid & charge". For customers ordering at least one stove, parts, and accessories with a total weight of less than 200 lb will ship free of charge under the customer's appliance freight program.

Table of contents

WOOD FIREPLACES (EXEMPT)	4
ST-LAURENT - LINEAR WOOD FIREPLACE - FP16	4
WOOD FIREPLACES (LOW MASS)	5
ANTOINETTE - WOOD FIREPLACE - FP7CB	5
FRONTENAC - GUILLOTINE DOOR WOOD FIREPLACE - FP11	6
MANOIR - WOOD FIREPLACE - FP1LM	7
WOOD FIREPLACES (EPA 2020)	8
LAFAYETTE II - WOOD FIREPLACE - FP10R	8
LAFAYETTE IIS - WOOD FIREPLACE - FP10RS	10
MUNDO II - WOOD FIREPLACE - FP12R	12
WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE - FP15A	13
WATERLOO - WOOD FIREPLACE - FP15	14
FIREPLACE TOOL SETS	15

WOOD FIREPLACES (EXEMPT)

ST-LAURENT - LINEAR WOOD FIREPLACE



Manufacturer code FP16

UPC code

773388128870

MSRP \$7,349.00

This appliance is

te the unit

REQUIRED	ACCESSORIES	
ILLUUIILLU	ACCESSONIES	

MSRP

	Α			
	VA16FE06	•	BLACK STRAIGHT NARROW OVERLAP (To overlap thin facing materials like tile)	\$450.00
	VA16TR	•	STRAIGHT MASONRY TRIM (Flush finish for brick/stone)	\$150.00
	В			
	VA16071M	•	CONTEMPORARY MOULDED BRICK PANELS	\$1,000.00
	OPTIO	N	S	MSRP
•	AC01347	•	4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
	AC02761	•	GLASS HEARTH PAD 10 mm - 20" X 70"	\$549.00
	AC02780	•	60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1,799.00
	AC02781	•	72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1,999.00
	AC02782	•	60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$2,250.00
	AGULIUL			
	AC02783	•	72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$2,450.00

FEATURES

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 63 3/4" X 62 5/8" X 31 3/4"
Maximum log length	: 30"
Shipping Weight	: 765 lb (347 kg)
Overall firebox volume-ft³	: 6.4
Recommended heating area-ft²	: <1,000
Moulded refractory bricks	

· Cast iron andirons

WOOD FIREPLACES (LOW MASS)

ANTOINETTE - WOOD FIREPLACE



Manufacturer code FP7CB

MSRP \$5,599.00

UPC code 773388165073



te the unit

REQUIRED ACCESSORIES		MSRP
Α		
VA7FE06	BLACK NARROW OVERLAP	\$400.00
VA7TR	• MASONRY TRIM	\$250.00
В		
VA7071BR	CLASSIC MOULDED REFRACTORY BRICK PANELS	\$850.00
VA7071M	CONTEMPORARY MOULDED REFRACTORY BRICK PANELS	\$950.00
OPTIC	NS	MSRP
AC01347	4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

CEATURES

FEATURES	
Cast iron andirons	
Chimney diameter	: 8"
Height X Width X Depth - Overall	: 64 1/8" X 48 7/8" X 30 3/4"
Average particulate emissions rate	: 4.2 g/kg
Maximum log length	: 18"
Shipping Weight	: 523 lb (238 kg)
 Moulded refractory bricks 	
Recommended heating area-ft²	: <1,000
Overall firebox volume-ft³	: 5.3

WOOD FIREPLACES (LOW MASS)

FRONTENAC - GUILLOTINE DOOR WOOD FIREPLACE



Manufacturer code FP11

MSRP \$7,799.00

UPC code 773388049984



		te the unit		
REQU	IR	ED ACCESSORIES		MSRP
Α				
VA11FA06	•	BLACK ARCHED NARROW OVERLAP (Thin facing materia	al - tile)	\$500.00
VA11FE06	•	BLACK STRAIGHT NARROW OVERLAP (Thin facing mate	rials - tile)	\$550.00
VA11TA	•	ARCHED MASONRY TRIM (Flush finish with brick/stone)		\$250.00
VA11TR	•	STRAIGHT MASONRY TRIM (Flush finish for brick/stone)		\$250.00
В				
VA11071BR	•	CLASSIC MOULDED BRICK PANELS		\$1,150.00
VA11071H	•	HERRINGBONE MOULDED VERMICULITE PANELS		\$1,500.00
VA11071M	•	CONTEMPORARY MOULDED BRICK PANELS		\$1,200.00
OPTIO	N	S		MSRP
AC01347	•	4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMF	PER	\$250.00
AC02761	•	GLASS HEARTH PAD 10 mm - 20" X 70"		\$549.00
FEATU	JF	RES		
Chimney	dia	meter	: 8"	
 Height X \ 	Vic	th X Depth - Overall	: 74 3/4" X 59 1/2" X 34 1/2"	

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 74 3/4" X 59 1/2" X 34 1/2"
Maximum log length	: 30"
Shipping Weight	: 920 lb (417 kg)
 Overall firebox volume-ft³ 	: 9.4
Recommended heating area-ft²	: <1,000
Average particulate emissions rate	: 4.2 g/kg
Moulded refractory bricks	- -
Cast iron andirons	

WOOD FIREPLACES (LOW MASS)

MANOIR - WOOD FIREPLACE



Manufacturer codeMSRPFP1LM\$4,049.00

UPC code 773388088716



nit

REQUIRED ACCESSORIES

MSRP

VA1FE05	•	BLACK MODERN FACEPLATE	\$750.00
VA1FE06	•	BLACK TRADITIONAL FACEPLATE	\$850.00
OPTIC	N	S	MSRP
AC01347	•	4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350	•	6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01374	•	FORCED AIR KIT	\$960.00
AC01375	•	TRADITIONAL GRAVITY KIT	\$400.00
AC01376	•	MODERN GRAVITY KIT	\$350.00
AC02760	•	GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

FEATURES	
Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 5/8" X 41 1/8" X 27 3/8"
Maximum log length	: 20"
Shipping Weight	: 520 lb (236 kg)
Overall firebox volume-ft³	: 4.25
Recommended heating area-ft²	: <1,500
Average particulate emissions rate	: 2.9 g/kg
Blower included	: Yes
. Marilalad vafua atami bulata	

Moulded refractory bricksCast iron andirons

LAFAYETTE II - WOOD FIREPLACE



Combustion Technology

Manufacturer code FP10R

: Non-catalytic

MSRP \$3,899.00

UPC code 773388188386

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



mplete the unit		
REQUIRED ACCESSORIES		MSRP
A	_	
VA10RE07 • BLACK DOOR OVERLAY		\$150.00
VA10RE40 • BRUSHED NICKEL DOOR OVERLAY		\$350.00
B		***************************************
VA10FA06 • BLACK ARCHED FACEPLATE		\$500.00
C		·
VA10L01 • CLASSIC STYLE FACEPLATE LOUVER		
VA10L02 • ARABESQUE STYLE FACEPLATE LOUVER		
VA10L03 • URBAN STYLE FACEPLATE LOUVER		
VA10L04 • MISSION STYLE FACEPLATE LOUVER		
VA10L05 • CROWN STYLE FACEPLATE LOUVER		
OPTIONS		MSRP
AC01223 • HEAT SHIELD FOR SURROUND/SHELF		\$120.00
AC01275 • FIRESCREEN DOOR		\$300.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT D		\$250.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR R	(IT	\$200.00
AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR		\$200.00
AC01374 • FORCED AIR KIT		\$960.00
AC01375 • TRADITIONAL GRAVITY KIT		\$400.00
AC01389 • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES		\$600.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR IN	TAKE KIT	\$75.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"		\$399.00
AC09200 • FIREPLACE CARRYING HANDLES		\$90.00
FEATURES		
Chimney diameter	: 6"	
Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 28 3/8"	
Average particulate emissions rate	: 1.2 g/h	
Maximum log length	: 20"	
Shipping Weight	: 493 lb (224 kg)	
Moulded refractory bricks		
Recommended heating area-ft²	: 750 - 2,200	
Maximum burn time	: 8 h	
Blower included	: Yes	
Overall firebox volume-ft³	: 2.5	

WOOD FIREPLACES (EPA 2020)

LAFAYETTE IIS - WOOD FIREPLACE



• Overall firebox volume-ft3

Manufacturer code FP10RS MSRP \$3,899.00

UPC code 773388201276

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

: 2.5



mplete the unit

REQUIRED ACCESSORIES	MS	RP
A		
VA10FS06 • BLACK SQUARE FACEPLATE B	\$5	00.00
VA10LS01 • CLASSIC STYLE FACEPLATE LOUVER	\$2	50.00
VA10LS02 • ARABESQUE STYLE FACEPLATE LOUVER	•	50.00
VA10LS03 • URBAN STYLE FACEPLATE LOUVER	•	50.00
VA10LS04 • MISSION STYLE FACEPLATE LOUVER	•	00.00
VA10LS05 • CROWN STYLE FACEPLATE LOUVER C	•	50.00
VA10RES07 • BLACK DOOR OVERLAY		
VA10RES40 • BRUSHED NICKEL DOOR OVERLAY		
OPTIONS	мѕ	RP
AC01223 • HEAT SHIELD FOR SURROUND/SHELF		20.00
AC01275 • FIRESCREEN DOOR	\$3	00.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIG	HT DAMPER \$2	50.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED	•	00.00
AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AI		00.00
AC01374 • FORCED AIR KIT		60.00
AC01375 • TRADITIONAL GRAVITY KIT		00.00
AC01389 • MODERN GRAVITY KIT WITH ADJUSTABLE PIPE	·	00.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AI	•	75.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	•	99.00
AC09200 • FIREPLACE CARRYING HANDLES	\$	90.00
FEATURES		
Chimney diameter	: 6"	
Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 28 5/8"	
Average particulate emissions rate	: 1.2 g/h	
Maximum log length	: 20"	
Shipping Weight	: 495 lb (225 kg)	
Moulded refractory bricks		
Recommended heating area-ft²	: 750 - 2,200	
Combustion Technology	: Non-catalytic	
Maximum burn time	: 8 h	
Blower included	: Yes	

MUNDO II - WOOD FIREPLACE



Manufacturer codeMSRPFP12R\$3,999.00

UPC code 773388188393

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL WARNING: The forced air distribution kit (AC01363), can be installed only with the gravity kit - Modern style (AC01389K), sold separately. The installation of a fresh air intake is mandatory on the FP12R. The fresh air intake adaptor is included with the fireplace. The outside air inlet cap; the 2 adjustable straps and the 4" insulated flexible pipe (AC02091-10'L) must be bought separately.



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
AC01375K • TRADITIONAL GRAVITY KIT	\$400.00
AC01389K • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$600.00
OPTIONS	MSRP
AC01275 • FIRESCREEN DOOR	\$300.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01363 • FORCED AIR KIT	\$750.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC02773 • NIGHTFLAME EFFECT GLASS FOR FP12R-MUNDO II FIREPLACE	\$599.00
AC09200 • FIREPLACE CARRYING HANDLES	\$90.00
VA12FL02 • METALLIC BLACK FINISHING TRIM	\$350.00

FEATURES

Height X Width X Depth - Overall : 40 5/8" X 50 1/4" X 27" Average particulate emissions rate : 1.2 g/h Maximum log length : 20" Shipping Weight : 427 lb (193.6kg) Moulded refractory bricks
Maximum log length : 20" Shipping Weight : 427 lb (193.6kg) Moulded refractory bricks
Shipping Weight : 427 lb (193.6kg) Moulded refractory bricks
Moulded refractory bricks
Recommended heating area-ft² : 750 - 2,200
Maximum burn time : 8 h
Blower included : No
Overall firebox volume-ft ³ : 2.5
Combustion Technology : Non-catalytic

WOOD FIREPLACES (EPA 2020)

WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE



Blower included

• Overall firebox volume-ft3

Combustion Technology

Manufacturer code FP15A

MSRP \$4,899.00

UPC code 773388171616

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

: Yes

: 4.28

: Non-catalytic



1	mplete the unit		
REQUIR	ED ACCESSORIES		MSRP
A			
	BLACK ARCHED FACEPLATE		\$650.00
В			
AC02360 •	CLASSIC MOULDED BRICK PANELS		\$650.00
C			
VA15L01	CLASSIC STYLE FACEPLATE LOUVER		
VA15L02	ARABESQUE STYLE FACEPLATE LOUVER		
VA15L03	URBAN STYLE FACEPLATE LOUVER		
VA15L04	MISSION STYLE FACEPLATE LOUVER		
OPTION	S		MSRP
	5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMI	PER	\$250.00
AC01350 •	6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT		\$200.00
AC01378 •	WARM AIR CIRCULATION GRILLE - MODERN		\$350.00
AC02760 •	GLASS HEARTH PAD 10 mm - 18" X 50"		\$399.00
AC02772 •	NIGHTFLAME EFFECT GLASS FOR FP15A-ARCHED WAT	ERLOO FIREPLACE (2 UNITS)	\$679.00
AC02780 •	60" WASHED CEDAR NON-COMBUSTIBLE MANTEL		\$1,799.00
AC02781 •	72" WASHED CEDAR NON-COMBUSTIBLE MANTEL		\$1,999.00
AC02782 •	60" TAVERN BROWN NON-COMBUSTIBLE MANTEL		\$2,250.00
	72" TAVERN BROWN NON-COMBUSTIBLE MANTEL		\$2,450.00
VA4460 •	FORCED AIR KIT		\$760.00
FEATUR	RES		
Cast iron an	dirons	: No	
 Chimney dia 	meter	: 8"	
 Height X Wid 	ith X Depth - Overall	: 43 3/8" X 50 3/4" X 31 5/8"	
 Average par 	ticulate emissions rate	: 1.6 g/h	
 Maximum lo 	g length	: 25"	
 Shipping We 	eight	: 545 lb (247 kg)	
 Moulded refr 	ractory bricks		
	led heating area-ft²	: 1,000 - 2,800	
 Maximum but 	ırn time	: 11 h	

WOOD FIREPLACES (EPA 2020)

WATERLOO - WOOD FIREPLACE



Manufacturer code FP15

MSRP \$4,999.00

UPC code 773388131818

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



te the unit

REQUIRED ACCESSORIES	MSRP
A	
VA15FL06 • BLACK "CROWN" STYLE FACEPLATE	\$850.00
B B	
AC02360 • CLASSIC MOULDED BRICK PANELS	\$650.00
OPTIONS	MSRP
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01378 • WARM AIR CIRCULATION GRILLE - MODERN	\$350.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02771 • NIGHTFLAME EFFECT GLASS FOR FP15-WATERLOO FIREPLACE (2 UNITS)	\$699.00
AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1,799.00
AC02781 • 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1,999.00
AC02782 • 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$2,250.00
AC02783 • 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$2,450.00
VA4460 • FORCED AIR KIT	\$760.00

FEATURES

Cast iron andirons	: No
Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 5/8"
Average particulate emissions rate	: 1.6 g/h
Maximum log length	: 25"
Shipping Weight	: 545 lb (247 kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 1,000 - 2,800
Combustion Technology	: Non-catalytic
Maximum burn time	: 11 h
Blower included	: Yes
Overall firebox volume-ft³	: 4.28

SKU # UPC Code Available List price Masterpack List price per per unit per unit quantity of master pack

Fireplace tool sets

AC02350 773388127552 TRUE \$155.00 0 \$155.00



EQUISS FREESTANDING LOG HOLDER

This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder

AC02351 773388169408 TRUE \$699.00 0 \$699.00

48" WOOD STORAGE WITH FINISHING TRIM



Built-in or freestanding, configurable vertically or horizontally, you will appreciate the versatility of this wood storage unit. It will most certainly find its place in your decor, whether next to your wood stove, close to your heater or the entrance where it can be used as a bench when positioned horizontally. For a pure and minimalist décor, the box can be integrated inside one of your walls. A finishing trim is provided for this flawless look. Very sturdy, this heavy-steel (14 ga) wood storage is powder-coated and can accommodate logs up to 18" in length. The steel frame contains four concealed wooden blocks to prevent premature wear of your floors. An accessories storage drawer (17" x 15" x 6") is available as an option. Conveniently put away the poker and shovel included with this drawer!

AC02353 773388169422 TRUE \$400.00 0 \$400.00

DRAWER AND TOOL KIT FOR WOOD STORAGE INSERT



This accessory storage drawer (17" x 15" x 6") is a great addition to your wood storage. Store the poker and shovel, included with the drawer, for convenience! Look no further and collect all your things in one place.

AC02620 773388123684 TRUE \$299.00 0 \$299.00

DUPLEX FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and combination of steel and wood construction make a strong contemporary design statement. Height of

AC02621 773388123691 TRUE \$219.00 0 \$219.00



INEO FIREPLACE TOOL SET

This distinctive hearth tool set contains four quality implements: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The clean lines and simplicity make a strong contemporary design statement. Kit height: 28 5/8" (73 cm). Proudly made in Canada.

AC02622 773388123707 TRUE \$249.00 0 \$249.00



PAPYRUS FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The dramatic use of steel makes a strong contemporary design statement. Kit height: 27 1/2" (69 cm). Ø 7 1/2" (19 cm). Proudly made in

ACU2627

73388123752

TRUE

\$265.00

\$265.00

FUSIO LOG HOLDER



This distinctive log holder combines steel and cherrywood; its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: 20"H x 18 1/2"W x 24"D. Made in Quebec with exceptional craftmanship.

AC02628 773388176093 TRUE \$299.00

\$299.00



NORDIK FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. Its wooden base and steel structure gives it an industrial look, perfect for contemporary or rustic spaces. Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in France with exceptional craftmanship.

AC02629

773388176109

TRUE

\$249.00

0

\$249.00



PETAL FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. A nice option for those who want to camouflage tools for a more decorative look. Height of stand: 20" (51 cm). Base

diameter: 7 1/2" (19 cm). Made in France with exceptional craftmanship.

AC02631

773388176123

TRUE

\$199.00

\$199.00

SPEKTRA FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. You will appreciate its futuristic look for a unique atmosphere. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftmanship.

Effective March 1st 2024