



Pictured above: The new 24" Carrera Fyre Spheres with G23 Burner System (see page 5).

### TABLE OF CONTENTS

DESCRIPTION	PAGE
G19A, ODG15 and G8E Series Vent-Free Burner Systems	3
G9 and G10 Series Vent-Free Burner Systems	4
G18 and G23 Series Vent-Free Burner Systems	5
G21 Series Vent-Free Burner System and Glass Media	6
Accessories and Replacement Parts	7
Individual Vent-Free Replacement Gas Logs	8

**RHSPETERSON** CO.


14724 Proctor Avenue • City of Industry, CA 91746 • Website: [www.rhspeterson.com](http://www.rhspeterson.com) • (626) 369-5085 • Fax (626)369-5979

**SUPERSEDES ALL OTHER PRICE LISTS • PRICES SUBJECT TO CHANGE WITHOUT NOTICE • ALL PRICES FOB FACTORY, TERMS: NET 30 DAYS**

To Use This Price Sheet:	
1. Select Burner System	2. Select Log Style Design or Contemporary Media (G21 & G23)
3. Select Log Size	4. Select Controls & Accessories


Purchase Info. Key
• For all model numbers: ** = Insert size
• Price: \$
• Weight: #

## New Products for 2025



### G23 Fyre Spheres Burner System (Pg. 3)


Designed to showcase the modern look of Fyre Spheres in a vent-free setting, the new G23 burner system comes in popular 18” and 24” sizes with a choice of ODS equipped and ANSI certified millivolt or electronic remote control. The 4” diameter model US4 Carrera Marble, Epic Black and Graystone spheres are designed specially for pinned placement on the burner pan. Choose natural gas or propane models.



### ODG15 Outdoor Only Burner System (Pg. 5)

The new ODG15 is the first Real Fyre ventless burner system designed for outdoor installation only. Certified to the ANSI Z21.97/CSA 2.41 outdoor decorative gas appliance standard, the ODG15 is offered in 24/30” size with remote operated electronic controls (-02 or -2VT) and your choice of Foothill Oak or Foothill Split Oak log sets. The burner pan is constructed of stainless steel and comes in either natural gas or propane versions.

## Measuring your fireplace for a Real Fyre Vent-Free gas log set.




- 1 **Front width** (in inches)
- 2 **Back width** (in inches)
- 3 **Depth** (in inches)
- 4 **Height** (in inches)
- 5 **Gas stub location**
  - How far does the gas stub extend into the firebox?
  - What is the distance from the gas stub to the firebox floor?

For special sizing requirements exclusive to each burner system, refer to its particular Owner’s Manual.

## G19A Series Burner Systems

- **G19A Series Vent-Free Gas Logs sets are ANSI Certified and include:** Uniquely Designed Vent-Free Gas Logs • Certified Vent Free Burner with pre-assembled Remote Control Valve & ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Lava Granules. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G19A-24/30-15P).


### G19A Burner System

 <p>G19A-24/30-15</p>	DESCRIPTION / WT.	CONTROL	MODEL #	18"/20"	24"/30"
	G19A Burner System	Variable Remote*	<b>G19A-**-15</b>	<b>\$1,539</b>	<b>\$1,619</b>
	Weight: 18"/20" - 30# Weight: 24"/30" - 36#	Electronic Remote*	<b>G19A-**-01V</b>	<b>1,872</b>	<b>1,952</b>



## ODG15 Series Outdoor Burner Systems

- **ODG15 Series Gas Logs are certified as Outdoor Decorative Gas Appliances for outdoor use only** and include: Uniquely Designed Vent-Free Gas Logs • Stainless steel burner with pre-assembled electronic remote valve • Custom grate • Connector kit • Lava Stones. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. ODG15-24/30-02P).

### ODG15 Burner System

 <p>ODG15-24/30-2VT</p>	DESCRIPTION / WT.	CONTROL	MODEL #	24"/30"
	ODG15 Outdoor Burner System	ON/OFF Remote*	<b>ODG15-**-02</b>	<b>\$2,513</b>
		Variable Remote*	<b>ODG15-**-2VT</b>	<b>2,538</b>


### G19A & ODG15 Compatible Gas Log Sets

 <p>Foothill Oak</p>	 <p>Foothill Split Oak</p>	DESCRIPTION	FIREPLACE	MODEL #	18"	24"	30"
		Foothill Oak	Single View	<b>FTO-**-33</b>	<b>\$418</b> 33#	<b>\$471</b> 50#	<b>\$568</b> 60#
		Foothill Split Oak	Single View	<b>FTSO-**-33</b>	<b>455</b> 33#	<b>516</b> 50#	<b>618</b> 54#


## G8E Series Burner System

- **G8E Series Gas Log Sets are ANSI Certified and include:** Vent Free Gas Logs • Decorative Front Panel • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G8E-16/20/24P).

### G8E Burners

 <p>G8E Burner</p>	DESCRIPTION / WT.	CONTROL	MODEL #	16"/20"/24"
	G8E Burner (20,000 BTU's) Weight: 12#	Manual	<b>G8E-**-12</b>	<b>\$516</b>
		ON/OFF Remote*	<b>G8E-**-12</b>	<b>894</b>
		Variable Remote*	<b>G8E-**-15</b>	<b>979</b>
	G8E Burner (9,500 BTU's) Weight: 12#	Manual	<b>G8E-**-R</b>	<b>516</b>
ON/OFF Remote*		<b>G8E-**-R-12</b>	<b>894</b>	


### G8E Compatible Gas Log Sets

 <p>Valley Oak</p>	DESCRIPTION	FIREPLACE	MODEL #	16"	20"	24"
	Valley Oak	Single View	<b>V08E-**-25</b>	<b>\$304</b> 25#	<b>\$345</b> 29#	<b>\$384</b> 35#
	Split Valley Oak	Single View	<b>SVO8E-**-27</b>	<b>326</b> 27#	<b>367</b> 33#	<b>406</b> 36#




## G9 Series Burner System

- **G9 Series Vent Free Gas Log Sets are ANSI Certified and Include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G9-20/24/30P).

### G9 Burners

DESCRIPTION / WT.	CONTROL	MODEL #	20"/24"/30"
 G9 Standard Burner	Manual	<b>G9-**-</b>	<b>\$720</b>
	ON/OFF Remote*	<b>G9-**-12</b>	<b>1,104</b>
	Variable Remote*	<b>G9-**-15</b>	<b>1,223</b>
G9 See-thru Burner System Weight: 36#	ON/OFF Remote*	<b>G9-2-**-12</b>	<b>1,457</b>



### G9 Compatible Gas Log Sets

DESCRIPTION	FIREPLACE	MODEL #	20"	24"	30"
 Golden Oak Designer	Single View	<b>RD9-**-</b>	<b>\$306</b> 32#	<b>\$332</b> 35#	<b>\$417</b> 49#
	See Thru	<b>RD9-2-**-</b>	--	<b>441</b> 50#	--
 Split Oak	Single View	<b>S9-**-</b>	<b>330</b> 31#	<b>360</b> 34#	<b>450</b> 48#
	See Thru	<b>S9-2-**-</b>	--	<b>491</b> 50#	--
 Meadow Oak	Single View	<b>M9-**-</b>	<b>317</b> 56#	<b>343</b> 61#	<b>428</b> 68#
	See Thru	<b>M9-2-**-</b>	--	<b>457</b> 61#	--






## G10 Series Burner System (Featuring the Vent-Free I-2000 Plus Burner System)

- **G10 Series Vent Free Gas Log Sets are ANSI Certified and Include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G10-24/30P).

### G10 Burners

DESCRIPTION / WT.	CONTROL	MODEL #	16"/18"	24"/30"
 G10-24/30	Manual	<b>G10-**-</b>	<b>\$903</b>	<b>\$1,009</b>
	Variable Remote*	<b>G10-**-15</b>	<b>1,386</b>	<b>1,492</b>
	Electronic Remote*	<b>G10-**-01V</b>	<b>1,761</b>	<b>1,867</b>
 G10-24/30-SS	Manual	<b>G10-**-SS</b>	<b>1,570</b>	<b>1,685</b>
	Variable Remote*	<b>G10-**-15-SS</b>	<b>2,062</b>	<b>2,175</b>
	Electronic Remote*	<b>G10-**-01V-SS</b>	<b>2,463</b>	<b>2,580</b>



### G10 Compatible Gas Log Sets

DESCRIPTION	FIREPLACE	MODEL #	16/18"	24"	30"
 Charred Frontier Oak	Single View	<b>CHFR-**-</b>	<b>\$382</b> 35#	<b>\$436</b> 41#	<b>\$542</b> 48#
 Charred Aged Split	Single View	<b>CHAS-**-</b>	<b>419</b> 35#	<b>482</b> 41#	<b>592</b> 48#
 Charred Alpine Birch	Single View	<b>CHAB-**-</b>	<b>490</b> 35#	<b>552</b> 41#	<b>656</b> 48#
 Charred Gnarled Split	Single View	<b>CHGS-**-</b>	<b>506</b> 35#	<b>575</b> 41#	<b>683</b> 48#
 Gnarled Oak	Single View	<b>GNO-**-</b>	<b>473</b> 35#	<b>533</b> 41#	<b>632</b> 48#




## G18 Series Burner System

- **G18 Series Vent Free Gas Logs sets are ANSI certified and include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules • Wood Chunks. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G18-24/30P).

### G18 Burners

DESCRIPTION / WT.	CONTROL	MODEL #	16"/18"	24"/30"
 G18 Standard Burner	Manual	<b>G18-**-**</b>	<b>\$1,025</b>	<b>\$1,148</b>
	Variable Remote*	<b>G18-**-**-15</b>	<b>1,526</b>	<b>1,650</b>
	Electronic Remote*	<b>G18-**-**-01V</b>	<b>1,862</b>	<b>1,986</b>
 G18 See-thru Burner	Variable Remote*	<b>G18-2-**-15</b>	<b>1,838</b>	<b>1,961</b>


### G18 Compatible Gas Log Sets

DESCRIPTION	FIREPLACE	MODEL #	16"/18"	24"	30"
 Evening Fyre Charred	Single View	<b>ECV-**-**</b>	<b>\$457</b> 33#	<b>\$522</b> 38#	<b>\$623</b> 44#
	See-Thru	<b>ECV-2-**-**</b>	<b>580</b> 45#	<b>644</b> 52#	--
 Evening Fyre	Single View	<b>EFV-**-**</b>	<b>407</b> 35#	<b>463</b> 41#	<b>561</b> 48#
	See-Thru	<b>EFV-2-**-**</b>	<b>522</b> 50#	<b>589</b> 55#	--
 Evening Fyre Split	Single View	<b>ESV-**-**</b>	<b>447</b> 35#	<b>510</b> 41#	<b>605</b> 48#
	See-Thru	<b>ESV-2-**-**</b>	<b>565</b> 50#	<b>632</b> 55#	--


## G23 Series Burner System

- **G23 Series Vent Free Spheres Burners are ANSI certified and include:** Fyre Spheres • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Removable Front Panel • Connector Kit. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G23-24-12P).

### **NEW** G23 Series Burner

DESCRIPTION / WT.	CONTROL	MODEL #	18"	24"
 G23-24-12	ON/OFF Remote*	<b>G23-**-12</b>	<b>\$1,396</b>	<b>\$1,516</b>
	Electronic Remote*	<b>G23-**-01V</b>	<b>1,875</b>	<b>1,995</b>

### **NEW** Fyre Spheres

DESCRIPTION / WT.	FIREPLACE	MODEL #	18"	24"
 Carrera Marble Fyre Spheres	Single View	<b>US4-**-CM</b>	<b>\$384</b> 16 pcs.	<b>\$528</b> 22 pcs.
	Single View	<b>US4-**-EB</b>	<b>241</b> 16 pcs.	<b>330</b> 22 pcs.
	Single View	<b>US4-**-GS</b>	<b>216</b> 16 pcs.	<b>298</b> 22 pcs.

## G21 Series Burner System

- **G21 Series Vent-Free Glass sets are ANSI certified and include:** Stainless Steel Certified Vent-Free Burner with pre-assembled Remote Control Valve and ODS Safety System • Polished Reflective Panel • See-Thru includes Glass Front Panels. \*Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G21-GL-24-12P).
- Amount of glass required is 7½ lbs for 18", 10 lbs for 24", and 15 lbs for 30" // 10 lbs for 18" See-Thru and 12½ lbs for 24" See-Thru.

## G21 Glass Burner with On/Off Remote



DESCRIPTION	TRIM	MODEL #	18"	24"	30"
G21 Glass Burner Weight: 20-30#	Polished Stainless Steel	<b>G21-GL-**-12</b>	<b>\$1,530</b>	<b>\$1,650</b>	<b>\$1,720</b>
G21 See-Thru Glass Burner Weight: 25-35#	Polished Stainless Steel	<b>G21-GL-2-**-12</b>	<b>1,793</b>	<b>1,922</b>	--

## Fyre Glass




COLORS	10 lb. Package <b>\$104</b>	40 lb. Bucket <b>\$418</b>
Azuria	<b>GL-10-F</b>	<b>GL-40-F</b>
Black	<b>GL-10-B</b>	<b>GL-40-B</b>
Bronze	<b>GL-10-Z</b>	<b>GL-40-Z</b>
Caribbean Blue	<b>GL-10-N</b>	<b>GL-40-N</b>
Clear	<b>GL-10-C</b>	<b>GL-40-C</b>
Emerald	<b>GL-10-E</b>	<b>GL-40-E</b>
Star Fyre	<b>GL-10-W</b>	<b>GL-40-W</b>

## Reflective Fyre Glass



COLORS	10 lb. Package <b>\$115</b>	40 lb. Bucket <b>\$456</b>
Azuria Reflective	<b>GL-10-FR</b>	<b>GL-40-FR</b>
Black Reflective	<b>GL-10-BR</b>	<b>GL-40-BR</b>
Bronze Reflective	<b>GL-10-ZR</b>	<b>GL-40-ZR</b>
Caribbean Blue Reflective	<b>GL-10-NR</b>	<b>GL-40-NR</b>
Copper Reflective	<b>GL-10-QR</b>	<b>GL-40-QR</b>
Emerald Reflective	<b>GL-10-ER</b>	<b>GL-40-ER</b>
Gold Reflective	<b>GL-10-HR</b>	<b>GL-40-HR</b>
Champagne Reflective	<b>GL-10-CR</b>	<b>GL-40-CR</b>

## Fyre Gems



COLORS	10 lb. Package <b>\$88</b>	40 lb. Bucket <b>\$346</b>
Black Pearl	<b>GLG-10-J</b>	<b>GLG-40-J</b>
Blue Topaz	<b>GLG-10-T</b>	<b>GLG-40-T</b>
Champagne	<b>GLG-10-D</b>	<b>GLG-40-D</b>
Deep Amber	<b>GLG-10-A</b>	<b>GLG-40-A</b>
Emerald	<b>GLG-10-E</b>	<b>GLG-40-E</b>
Glacier	<b>GLG-10-C</b>	<b>GLG-40-C</b>
Sapphire	<b>GLG-10-S</b>	<b>GLG-40-S</b>
Ruby	<b>GLG-10-RY</b>	<b>GLG-40-RY</b>

## Vent Free Valve & Control Body Options

DESCRIPTION	MODEL	PRICE
Valve for G8E Manual - (N.G or L.P.)	<b>SV-18</b>	<b>\$148</b>
Valve for G9, G10 & G18 Manual - (N.G.)	<b>SV-26</b>	<b>120</b>
Valve for G9, G10 & G18 Manual - (L.P.)	<b>SV-27</b>	<b>120</b>
Control Body for G10-15 & G18-15 - (N.G.)	<b>SV-24</b>	<b>385</b>
Control Body for G10-15P & G18-15P - (L.P.)	<b>SV-25</b>	<b>385</b>
Control Body for Remote Style (-12) G8E & G9 - (N.G.)	<b>SV-8</b>	<b>311</b>
Control Body for Remote Style (-12P) G8E & G9 - (L.P.)	<b>SV-8P</b>	<b>311</b>
Control Body for Remote Style (-12) G21 - (N.G.)	<b>SV-43</b>	<b>311</b>
Control Body for Remote Style (-12P) G21 - (L.P.)	<b>SV-43P</b>	<b>311</b>
Control Body for Variable Remote Style (O1V) G10 & G18 - (N.G.)	<b>SV-42</b>	<b>444</b>
Control Body for Variable Remote Style (O1VP) G10 & G18 - (L.P.)	<b>SV-41</b>	<b>444</b>
Control Body for G19A-15 - (N.G.)	<b>SV-51</b>	<b>385</b>
Control Body for G19A-15P - (L.P.)	<b>SV-51P</b>	<b>385</b>
Control Body for G19A-01V - (N.G.)	<b>SV-46</b>	<b>473</b>
Control Body for G19A-01VP - (L.P.)	<b>SV-46P</b>	<b>473</b>

## Accessories

DESCRIPTION	MODEL	PRICE
Valley Oak Wood Chips (4) and Pine Cones (3) <i>(vacuum packed, case of 6)</i>	<b>DP-2-6</b>	<b>\$458</b>
4 Designer Pine Cones <i>(assorted sizes, vacuum packed, case of 6)</i>	<b>PC-4-6</b>	<b>338</b>
6 Wood Chips <i>(vacuum packed, case of 6)</i>	<b>WC-6-6</b>	<b>405</b>
6 Charred Wood Chips <i>(vacuum packed, case of 6)</i>	<b>WCH-6-6</b>	<b>444</b>
6 Acorns <i>(vacuum packed, case of 6)</i>	<b>AC-6-6</b>	<b>287</b>
Lava Fyre Coals - Wt. 6#	<b>LFC-6</b>	<b>33</b>
Lava Fyre Granules - Wt. 5#	<b>LF-5</b>	<b>26</b>
Refresh Kit <i>(Incl.: 5# lava granules, Ember Glow, Bryte Coals &amp; 6 Acorns)</i>	<b>VFRK-1</b>	<b>88</b>
Replacement Embers (G9)	<b>EM-9</b>	<b>21</b>
Replacement Embers (G10, G18, & G19A)	<b>EM-10</b>	<b>24</b>

## Remote Compatible Options

DESCRIPTION	MODEL	PRICE
Basic ON/OFF Receiver/Transmitter Set	<b>RR-1A</b>	<b>\$124</b>
Deluxe ON/OFF Receiver/Transmitter Set	<b>RR-2A</b>	<b>181</b>
Basic Variable Receiver/Transmitter Set for ("15" Product Only)	<b>VR-1A</b>	<b>150</b>
Deluxe Variable Receiver/Transmitter Set for ("15" Product Only)	<b>VR-2A</b>	<b>206</b>
Wood Chunk Decorative Cover (Vacuum packed)	<b>WCDC-1</b>	<b>54</b>
Pine Cone Decorative Cover (Vacuum packed)	<b>PCDC-1</b>	<b>58</b>
Charred Birch Decorative Cover (Vacuum packed)	<b>WCBC-1</b>	<b>64</b>
Charred Birch Decorative Wood Chunk	<b>WCAB-1</b>	<b>64</b>
ON/OFF Bluetooth Control w/ Golden Oak Cover ("12" Product Only)	<b>RF-BTSR1-G</b>	<b>240</b>
ON/OFF Bluetooth Control w/ White Birch Cover ("12" Product Only)	<b>RF-BTSR1-B</b>	<b>246</b>
Thermostat Control ("12" Product Only)	<b>TS-12</b>	<b>86</b>
Wall Switch, Cover and Wiring ("12" Product Only)	<b>WS-1</b>	<b>72</b>
Wall Timer, Cover and Wiring ("12" Product Only)	<b>WS-2</b>	<b>176</b>
Wall Switch, Cover and Wiring ("15" Product Only)	<b>WS-3</b>	<b>88</b>
Wall Switch ("O1V" Product Only)	<b>WS-6</b>	<b>149</b>
Power Supply ("O1V" Product Only)	<b>TR-03</b>	<b>138</b>

## Oxygen Depletion Sensors

DESCRIPTION	MODEL	PRICE
Natural Gas	<b>ODS-0001</b>	<b>\$71</b>
Propane Gas	<b>ODS-0002</b>	<b>71</b>
Natural Gas with "12" Valve	<b>ODS-0003</b>	<b>138</b>
Propane Gas with "12" Valve	<b>ODS-0004</b>	<b>138</b>
Natural Gas with "O1V" Valve	<b>ODS-0005</b>	<b>72</b>
Propane Gas with "O1V" Valve	<b>ODS-0006</b>	<b>72</b>

## Individual Replacement Logs - To Order: Specify Log Style and then Size (i.e. CHFRL-20BR)

G8E Series	LOGS STYLE (Top & Bottom)	No.	8tl	8ty	10tl	11tr	12br	16bf	20bf	24bf
	Valley Oak	<b>VOL8E</b>	\$47	47	49	56	90	103	150	199

G9 Series	LOGS STYLE (Top & Bottom)	No.	8tr-2	8t-2	10ty-2	9ty	10tc	10tr	10ty	11t	11tl	17br	20bf	20br	24bf	24bf-2	30bf
	Golden Oak Designer	<b>RDL9</b>	\$45	46	46	48	48	48	52	--	52	90	136	136	149	149	194
Split Oak	<b>SL9</b>	\$47	49	49	52	52	52	58	52	58	99	143	143	152	152	201	

G10 Series Top Logs	LOGS STYLE (Top)	No.	6tc	7t	8t	9t	9tr	10t	10tl	10tr	11t	11tl	11tr	12tr	12tl	13t	14tr	15tl
	Charred Frontier Oak	<b>CHFRL</b>	\$45	47	--	--	49	52	--	--	--	54	--	65	65	--	79	79
	Charred Aged Split	<b>CHASL</b>	\$48	50	--	54	54	58	--	58	--	59	--	69	69	--	84	84
Charred Alpine Birch	<b>CHABL</b>	--	--	\$61	63	--	--	77	77	66	72	72	--	--	79	--	--	

G10 Series Bottom Logs	LOGS STYLE (Bottom)	No.	15br	16/18bf	19br	20br	21br	24bf	24br	30bf
	Charred Frontier Oak	<b>CHFRL</b>	\$104	136	--	150	--	161	161	200
	Charred Aged Split	<b>CHASL</b>	\$110	143	--	159	--	166	166	203
	Charred Alpine Birch	<b>CHABL</b>	\$159	166	171	--	185	188	--	209

G18 Series Top Logs	LOGS STYLE (Top)	No.	8t	9t	10t	11tr	12t	12tl	12ty	13t	13ty	17ty	-2-11ty	-2-9t	-2-10t	-2-12t
	Evening Fyre Charred	<b>ECVL</b>	--	\$64	65	69	79	79	--	81	81	115	81	66	69	84
	Evening Fyre	<b>EFVL</b>	--	\$63	63	63	68	68	--	75	75	106	69	69	63	72
Evening Fyre Split	<b>ESVL</b>	\$61	63	64	68	75	--	79	--	--	110	79	64	67	80	

G18 Series Bottom Logs	LOGS STYLE (Bottom)	No.	15br	18bf	20br	24bf	24br	30bf	-2-18B1	-2-18B2	-2-24BF
	Evening Fyre Charred	<b>ECVL</b>	\$121	151	162	176	176	239	151	151	176
	Evening Fyre	<b>EFVL</b>	\$110	143	151	163	163	230	143	143	163
Evening Fyre Split	<b>ESVL</b>	\$117	149	159	170	170	232	149	149	170	

G19A Series	LOGS STYLE (Top & Bottom)	No.	7t	8t	9t	10t	10tl	10tr	11t	12t	12tc	13t	13tr	14t	15t	17br	18bf	22br	23br	24bf	30bf
	Foothill Oak	<b>FTOL</b>	--	\$63	65	66	66	--	67	68	--	78	--	--	97	119	175	159	168	183	257
Foothill Split Oak	<b>FTSOL</b>	\$56	63	65	66	--	66	--	70	81	78	78	92	--	119	175	159	--	183	257	

## Vent-Free Burner Systems BTU Ratings\* (BTU x 1000)

BURNER SYSTEM	16/18"		18"		18/20"		24"		24/30"		30"		16/20/24"		20/24/30"		
	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	
G8E Series	--	--	--	--	--	--	--	--	--	--	--	--	--	20	20	--	--
G9 Series	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	36	36
G9 Series (See-Thru)	--	--	--	--	--	--	39	39	--	--	--	--	--	--	--	--	--
G10 Series	35	32	--	--	--	--	--	--	37	37	--	--	--	--	--	--	--
G18 Series	30	30	--	--	--	--	--	--	38	38	--	--	--	--	--	--	--
G18 Series (See-Thru)	39	39	--	--	--	--	40	40	--	--	--	--	--	--	--	--	--
G19A Series	--	--	--	--	34	30	--	--	40	36	--	--	--	--	--	--	--
ODG15 Series	--	--	--	--	--	--	--	--	55	45	--	--	--	--	--	--	--
G21 Series	--	--	30	27	--	--	35	30	--	--	40	35	--	--	--	--	--
G21 Series (See-Thru)	--	--	37	35	--	--	40	40	--	--	--	--	--	--	--	--	--
G23 Series	--	--	28	28	--	--	37	37	--	--	--	--	--	--	--	--	--

\*BTU Ratings when burners are on **High Setting** (when applicable).